# RNAV (RNP) Z RWY 14

PALM BEACH INTL (PBI)

| APP CRS | Rwy Idg | 6000 |
|---|---|---|
| 141° | TDZE | 17 |
| | Apt Elev | 20 |

RNP AR APCH - GPS.

For uncompensated Baro-VNAV systems, procedure NA below 6°C or above 54°C.

MISSED APPROACH: Climb to 2000 direct CUSIK and on track 204 to LANCH and hold.

| D-ATIS | PALM BEACH APP CON | PALM BEACH TOWER | GND CON | CLNC DEL | CPDLC |
|---|---|---|---|---|---|
| 123.75 | 128.3 317.4 | 119.1 257.8 | 121.9 284.6 | 121.6 284.6 | |




| ELEV | 20 | D | TDZE | 17 |
|---|---|---|---|---|




VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 66).




| 2000 | CUSIK | tr 204° | LANCH |
|---|---|---|---|

See planview for multiple IF locations.

| CATEGORY | A | B | C | D |
|---|---|---|---|---|
| RNP 0.30 DA | 354-1 | 337 (400-1) | | |

HIRL Rwy 10L-28R
REIL Rwys 10R, 14, 28L, 28R and 32
MIRL Rwys 14-32 and 10R-28L

## AUTHORIZATION REQUIRED



SE-3, 18 APR 2024 to 16 MAY 2024
SE-3, 18 APR 2024 to 16 MAY 2024