

**HAPPY CAMP** (36S) 0 SW UTC-8(-7DT) N41°47.44' W123°23.34'

1209 TPA—2209(1000) NOTAM FILE RIU

**RWY 04-22:** H3000X50 (ASPH) S-30

**RWY 04:** Tree. Rgt tfc.

**RWY 22:** Brush.

**AIRPORT REMARKS:** Unattended. +35' trees 600' from 125' left through 125' right.

**AIRPORT MANAGER:** (530) 842-8220

**COMMUNICATIONS:** CTAF 122.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEC.

**CRESCENT CITY (L) VORTACW** 109.0 CEC Chan 27 N41°46.77'


W124°14.45' 075° 38.2 NM to fld. 55/14E.

**TACAN AZIMUTH & DME unusable:**

195°-235° byd 20 NM

**KLAMATH FALLS**

L-21



**HARRIS RANCH** (See COALINGA on page 108)

## HAWTHORNE

**JACK NORTHROP FLD/HAWTHORNE MUNI** (HHR)(KHHR) 1 E UTC-8(-7DT) N33°55.37'

W118°20.11'

66 B TPA—See Remarks NOTAM FILE HHR

**RWY 07-25:** H4956X100 (ASPH) S-30, D-60, 2D-90 MIRL

**RWY 07:** VASI(V2R)—GA 3.25° TCH 25'. Thld displcd 971'. Road. Rgt tfc.

**RWY 25:** ODALS. REIL. VASI(V4R)—GA 3.5° TCH 26'. Thld displcd 463'. Pole.

### RUNWAY DECLARED DISTANCE INFORMATION

**RWY 07:** TORA-4956 TODA-4956 ASDA-4736 LDA-3765

**RWY 25:** TORA-4956 TODA-4956 ASDA-4656 LDA-4193

**SERVICE:** S4 FUEL 100LL, JET A OX 1, 3 LGT When twr clsd

ACTIVATE MIRL Rwy 07-25 and ODALS Rwy 25—CTAF.

**AIRPORT REMARKS:** Attended 1500-0400Z†. Unattended every other Fri.

100LL fuel avbl 24 hrs self svc. Jet A fuel avbl 1300-0800Z† daily,

call 310-676-4673. Arpt CLOSED to acft with explosives. Be alert to

8' blast fence AER 25. Numerous flocks of birds on and in/ov arpt.

Helicopter flight training ops prohibited. Helicopter multiple

approaches/tfc pat ops prohibited. Touch and go lds, stop and go lds

and low apch ops for all acft including helicopters ltd to

1800-0100Z†. No multi-engine simulated engine-out procedures

authorized in tfc pat. No taxi-back ops Mon-Fri 0600-1600Z†,

Sat-Sun 0600-1800Z†. TPA for lgt acft/helicopter 1100 (1034),

turbine/high performance acft 1600 (1534). For noise abatement info ctc arpt engineer 310-349-1637 or 1636. North

Twy designated non-movement area. Rwy 25 runoff on South Twy 900' west of AER.

**AIRPORT MANAGER:** 310-349-1637

**WEATHER DATA SOURCES:** ASOS (310) 973-8930

**COMMUNICATIONS:** CTAF 121.1 ATIS 118.4 310-675-7945

**HAWTHORNE RCO** 122.2 122.5 122.6 (HAWTHORNE RADIO)

Ⓜ **SOCAL APP CON** 124.3 (146°-245°) 124.9 (069°-145°) 125.2 (246°-342°) 128.5 (343°-068°)

**TOWER** 121.1 (1400-0600Z†) **GND CON** 125.1 **CLNC DEL** For clnc del when twr clsd call SOCAL Apch 800-448-3724.

Ⓜ **SOCAL DEP CON** 124.3

**AIRSPACE:** CLASS D svc 1400-0600Z† other times CLASS G.


**VOR TEST FACILITY (VOT)** 113.9

**LOS ANGELES**

**COPTER**

L-3E, 4G, 7B, A

IAP, AD



**CONTINUED ON NEXT PAGE**

CONTINUED FROM PRECEDING PAGE

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAX.

**LOS ANGELES (H) VORTACW** 113.6 LAX Chan 83 N33°55.99' W118°25.92' 082° 4.9 NM to fld. 185/15E.

VOR portion unusable:

270°-277° byd 25 NM blo 8,000'

277°-300° byd 10 NM blo 8,000'

277°-300° byd 28 NM blo 12,000'

175°-205° byd 10 NM blo 3,000'

**LOC 109.1** I-HHR Rwy 25. LOC unusable beyond 15° right of course; wi 0.8 NM inbound. Unmonitored when ATCT clsd.

**HAYFORK** (F62) 1 S UTC-8(-7DT) N40°32.82' W123°10.78'

2334 B TPA-3334(1000) NOTAM FILE RIU

**KLAMATH FALLS**

**L-2H**

**RWY 07-25:** H4100X60 (ASPH) S-12.5 MIRL 0.4% up E

**RWY 07:** Tree.

**RWY 25:** Tree. Rgt tfc.

**SERVICE:** S2 **LGT** Arpt bcn OTS indef. MIRL Rwy 07-25 OTS. ACTIVATE

MIRL Rwy 07-25-CTAF.

**AIRPORT REMARKS:** Unattended. High terrain all quadrants. Noise abatement

procedures in effect N, NE and S of arpt. Intermittently clsd winters due

to snow. Ctc county transportation office for information

530-623-1365.

**AIRPORT MANAGER:** 530-623-1365

**COMMUNICATIONS:** CTAF/UNICOM 122.8

**RADIO AIDS TO NAVIGATION:** NOTAM FILE FOT.

**FORTUNA (L) VORTACW** 114.0 FOT Chan 87 N40°40.28'

W124°14.07' 079° 48.8 NM to fld. 391/19E.

VOR unusable:

060°-070° byd 35 NM blo 9,500'

150°-165° byd 25 NM blo 6,500'

165°-200° byd 25 NM blo 8,000'

280°-330° byd 20 NM blo 3,000'

330°-336° byd 20 NM

336°-350° byd 20 NM blo 3,000'

TACAN AZIMUTH unusable:

060°-070° byd 35 NM blo 9,500'

150°-165° byd 25 NM blo 5,500'

165°-200° byd 25 NM blo 8,000'

315°-325° byd 15 NM blo 5,500'

DME unusable:

060°-070° byd 35 NM blo 9,500'

150°-165° byd 25 NM blo 5,500'

165°-200° byd 25 NM blo 8,000'

315°-325° byd 15 NM blo 5,500'

