


APP CRS	Rwy Idg	10001
036°	TDZE	633
	Apt Elev	645

RNAV (RNP) X RWY 3R


DETROIT METROPOLITAN WAYNE COUNTY (DTW)

RNP AR APCH.		ALSIF-2	MISSED APPROACH: Climb to 1100 then climbing right turn to 4000 direct GAAGE and hold.	
Simultaneous approach authorized. For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C.				

D-ATIS	DETROIT APP CON	METRO TOWER	GND CON	CLNC DEL	CPDLC
133.675	125.15 284.0	118.4 317.725	121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	120.65	



ELEV	645	D	TDZE	633
HIRL all runways				
REIL Rwy's 3L, 9L, 9R and 21R				
TDZ/CL Rwy's 3R, 4L, 4R and 22R				



VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 70).

LIONZ	WATCH	RIBME	NUVUE	GAAGE
5000	4000	3000	2000	
GP 3.00° TCH 54				
3.1 NM		3.1 NM		4.1 NM
CATEGORY	A	B	C	D
RNP 0.30 DA	1021/35		388 (400- $\frac{2}{3}$)	

AUTHORIZATION REQUIRED

EC-1, 25 APR 2019 to 23 MAY 2019

EC-1, 25 APR 2019 to 23 MAY 2019