

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1500–0500Z†; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE RAL.

PARADISE (H) VORTAC 112.2 PDZ Chan 59 N33°55.10' W117°31.80' 039° 18.1 NM to fld. 1432/15E.

TACAN AZIMUTH unusable:

130°–145° byd 25 NM blo 5,000'
145°–190° blo 8,000'
190°–230° blo 10,000'
310°–325° byd 35 NM blo 10,900'
325°–345° byd 25 NM blo 11,500'
345°–360° byd 35 NM blo 10,500'

VOR unusable:

010°–015° byd 20 NM blo 10,000'
130°–145° byd 25 NM blo 5,000'
145°–190° blo 8,000'
145°–190° byd 25 NM blo 10,000'
145°–190° byd 39 NM blo 13,500'
190°–230° blo 10,000'
310°–325° byd 35 NM blo 10,900'
325°–345° byd 25 NM blo 11,500'
345°–360° byd 35 NM blo 10,500'

DME unusable:

130°–145° byd 25 NM blo 5,000'
145°–190° blo 8,000'
190°–230° blo 10,000'
310°–325° byd 35 NM blo 10,900'
325°–345° byd 25 NM blo 11,500'
345°–360° byd 35 NM blo 10,500'

PETIS NDB (HW) 397 SB N34°03.39' W117°21.97' 056° 6.9 NM to fld. 972/14E. NOTAM FILE ONT.

ILS 109.3 I-SBD Rwy 06. Class IE. LOM PETIS NDB. Unmonitored 0500–1500Z†.

SAN CARLOS (SQL)(KSQL) 2 NE UTC–8(–7DT) N37°30.71' W122°14.97'

6 B TPA—See Remarks NOTAM FILE SQL

RWY 12–30: H2621X75 (ASPH) S–12.5 MRL

RWY 12: REIL. VASI(V2L)—GA 3.0° TCH 25'. Pole. Rgt tfc.

RWY 30: REIL. VASI(V2L)—GA 3.0° TCH 25'. Rgt tfc.

SERVICE: S2 FUEL 100LL, JET A, A+, MOGAS, UL94 LGT When twr clsd, ACTIVATE MRL Rwy 12–30 and REIL Rwy 12 and Rwy 30—119.0.

AIRPORT REMARKS: Attended 1400–0600Z†. Migratory bird activity on and invof arpt. 100' steel transmission twrs and powerlines located 750' west and parallel to Rwy 12–30. 7' lighted dike located in rwy safety area on AER 30. Calm wind Rwy 12. No touch and go ldgs, or stop and go ldgs, when twr clsd. TPA—806(800). Fixed-wing right tfc Rwy 30/left tfc Rwy 12. Hel right tfc Rwy 12/left tfc Rwy 30. Large helicopter should avoid overflight of dirt infield areas. Noise sensitive areas south through northeast of arpt. For noise abatement procedures ctc arpt manager 650–573–3700.

AIRPORT MANAGER: 650-573-3700

WEATHER DATA SOURCES: AWOS–3P 125.9 (650) 593–0613. LAWRS.

COMMUNICATIONS: CTAF 119.0 ATIS 125.9 650–593–0613 UNICOM 122.95

Ⓡ NORCAL APP CON 133.95 135.65

TOWER 119.0 (1500–0500Z†) GND CON 121.6

Ⓡ NORCAL DEP CON 135.65

CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc NorCal Apch at 916-361-3829.

AIRSPACE: CLASS D svc 1500–0500Z†; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE OAK.

WOODSIDE (L) VORW/DME 113.9 OSI Chan 86 N37°23.55' W122°16.88' 355° 7.3 NM to fld. 2270/17E.

VOR unusable:

030°–050° byd 15 NM
225°–305° byd 20 NM blo 9,000'
330°–350° blo 11,000'

DME unusable:

160°–350° blo 11,000'
190°–230° byd 20 NM blo 13,000'
230°–350° byd 20 NM

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at tower.

SAN FRANCISCO

L–2F, 3B, A

IAP, AD

