

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1300-0300Z; other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE TUS.

**TUCSON (H) VORTACW** 116.0 TUS Chan 107 N32°05.71' W110°54.89' 270° 13.5 NM to fld. 2671/12E. HIWAS.

VOR unusable:  
050°-080° byd 30 NM blo 11,500'  
350°-020° byd 30 NM blo 13,000'

TACAN AZIMUTH unusable:  
050°-080° byd 30 NM blo 11,500'  
155°-165° byd 35 NM blo 13,000'  
350°-020° byd 30 NM blo 13,000'

DME unusable:  
050°-080° byd 30 NM blo 11,500'  
155°-165° byd 35 NM blo 13,000'  
350°-020° byd 30 NM blo 13,000'

**NDB (HW) 338 RYN** N32°08.33' W111°09.69' at fld. 2420/12E. NOTAM FILE PRC. NDB unmonitored.

NDB unusable:  
025°-050° byd 25 NM blo 14,500'

**ILS/DME 111.1 I-IVI** Chan 48 Rwy 06R. Unmonitored when ATCT clsd.

**TUCSON INTL** (TUS)(KTUS) P (ANG) 6 S UTC-7 N32°06.96' W110°56.46' NOTAM FILE TUS

**PHOENIX**  
H-4J, L-5C  
IAP AD

2643 B TPA—See Remarks AOE LRA Class I, ARFF Index C  
**RWY 11L-29R:** H10996X150 (ASPH-GRVD) S-160, D-200, 2S-175, 2D-350, 2D/2D2-585 PCN 81 R/B/W/T HIRL

**RWY 11L:** MALS. PAPI(P4L)—GA 3.0° TCH 73'. RVR-T 0.7% up.  
**RWY 29R:** REIL. PAPI(P4L)—GA 3.0° TCH 81'. RVR-R Ground. Rgt tfc. 0.5% down.

**RWY 11R-29L:** H8408X75 (ASPH) S-120, D-140, 2S-175, 2D-220 PCN 38 F/B/X/T MIRL


**RWY 11R:** PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 1410'. Rgt tfc. 0.7% up.

**RWY 29L:** REIL. Pole. 0.6% down.  
**RWY 03-21:** H7000X150 (ASPH-GRVD) S-105, D-137, 2S-174, 2D-230, 2D/2D2-500 PCN 72 F/A/X/T MIRL

**RWY 03:** Thld dsplcd 850'. Railroad.  
**RWY 21:** REIL. PAPI(P4L)—GA 3.0° TCH 53'. Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 03:** TORA-7000 TODA-7000 ASDA-7000 LDA-6150  
**RWY 11L:** TORA-10996 TODA-10996 ASDA-10996 LDA-10996  
**RWY 11R:** TORA-6998 TODA-6998 ASDA-6998 LDA-6998  
**RWY 21:** TORA-6000 TODA-7000 ASDA-6000 LDA-6000  
**RWY 29L:** TORA-6998 TODA-6998 ASDA-6998 LDA-6998  
**RWY 29R:** TORA-10996 TODA-10996 ASDA-10996 LDA-10996



**ARRESTING GEAR/SYSTEM**

**RWY 11L** BAK-14 BAK-12(B) (1000'). BAK-14 BAK-12(B) (1215') HOOK BAK 12(B) (128' OVRN). **RWY 29R**

**SERVICE:** S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LGT Rwy 29L/29R REILS opr 24 hrs.

**MILITARY—A-GEAR** BAK-14/BAK-12B apch end Rwy 11L and BAK-14/BAK-12B apch end Rwy 29R, engagements avbl only dur ANG duty hr and min PN rqr. BAK-12B ovrn Rwy 29R and BAK-12B ovrn Rwy 11L serviceable but not certified. BAK-12B in Rwy 11L ovrn has 850' run out. **JASU** 1(C-26) 1(MD-3) 9(M32A-60) **FUEL** A++ , A (avbl 1300-0500Z, OT 2 hr PN \$50 fee, C520-889-0593.) (NC-100LL) **FLUID** PRESAIR LPOX LOX **OIL** O-133-156(Mil)

**AIRPORT REMARKS:** Attended continuously. Air carriers use Rwy 11L-29R and Rwy 03-21. Rwy 11R-29L rstd to tkof/land acft with wing span less than 73' and ldg speed less than 120 kt. Acft dep Rwy 11R required to attain at least 400' AGL prior to starting turn. Do not mistake Twy A for a landing surface. Twy A is North and parallel to Rwy 11L. Ensure correct lineup. Rwy 29L is the shorter rwy South of Rwy 29R. No B-747 training except PPR; no flight training 0500-1300Z except PPR, call airside opr department 520-573-8190. Call oprs office at 520-573-8190. Rwy 11L-29R has dstc remaining markers on NE side. Rwy 03-21 has dstc remaining markers on SE side. Rwy 11L-29R gross weight limit: DC-10-10 315,000 lbs, DC-10-30/40 400,000 lbs, L-1011-1 325,000 lbs, L-1011-100/200 340,000 lbs. Rwy 03-21 gross weight limit: DC-10-10 300,000 lbs DC-10-30/40 375,000 lbs, L-1011-01 310,000 lbs, L-1011-100/200 315,000 lbs. All acft use upper antenna until airborne. Helicopter ops located south of Rwy 11R-29L and west of Twy A13. TPA—3443 (800) small acft, 4043 (1400) large/heavy turbojet acft. B-747 acft taxi with inboard engines only. PPR required for all charter, sports team, cargo and military acft. Ctc airside opr for PPR number at 520-573-8190. Ldg and parking fees may apply for acft 12,500 lbs and up. ANG ramp rstd to acft with wingspan less than 59'. Portions of Twy D not visible from twr due to hangars. Twy A5 limited to 70,000 lbs or less. No public svcs avbl at the TUS executive terminal. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Glider Operations Northwest of Tucson, Arizona, U.S. Special Customs Requirement.

CONTINUED ON NEXT PAGE

## CONTINUED FROM PRECEDING PAGE

**AIRPORT MANAGER:** 520-573-8100

**WEATHER DATA SOURCES:** ASOS (520) 295-5727 HIWAS 116.0 TUS.

**COMMUNICATIONS:** UNICOM 122.95 ATIS 123.8 520-741-1177

**TUCSON RCO** 122.2 (PRESCOTT RADIO)

**MOUNT LEMMON RCO** 122.4 (PRESCOTT RADIO)

Ⓡ **APP CON** 125.1 (Rwy 11 090°-285°) (Rwy 29 275°-065°) 119.4 (Rwy 11 286°-089°) (Rwy 29 066°-274°) 128.5

Ⓡ **DEP CON** 125.1 (Rwy 11 090°-285°) (Rwy 29 275°-065°) 119.4 (Rwy 11 286°-089°) (Rwy 29 066°-274°)

**TOWER** 118.3 119.0 **GND CON** 124.4 **CLNC DEL** 126.65

**AIRSPACE:** CLASS C svc ctc **APP CON.**

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUS.

(H) **VORTACW** 116.0 TUS Chan 107 N32°05.71' W110°54.89' 301° 1.8 NM to fld. 2671/12E. **HIWAS.**

VOR unusable:

050°-080° byd 30 NM blo 11,500'

350°-020° byd 30 NM blo 13,000'

TACAN AZIMUTH unusable:

050°-080° byd 30 NM blo 11,500'

155°-165° byd 35 NM blo 13,000'

350°-020° byd 30 NM blo 13,000'

DME unusable:

050°-080° byd 30 NM blo 11,500'

155°-165° byd 35 NM blo 13,000'

350°-020° byd 30 NM blo 13,000'

**ILS/DME** 111.7 I-TUS Chan 54 Rwy 11L. Class IT. Localizer backcourse unusable byd 10° r of centerline; byd 15 NM blw 7,200'.

**VALLE** (See GRAND CANYON on page 47)

**WHITERIVER** (E24) 1 SW UTC-7 N33°48.64' W109°59.14'

5153 B NOTAM FILE PRC

**RWY 01-19:** H6350X75 (ASPH) S-16 MIRL 1.2% up N

**RWY 01:** REIL. PAPI(P2L)—GA 3.0° TCH 40'. Rgt tfc.

**RWY 19:** REIL. Thld dsplcd 250'. Ground.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 01:** TORA-6100 TODA-6350 ASDA-6100 LDA-6100

**RWY 19:** TORA-6350 TODA-6350 ASDA-6350 LDA-6100

**SERVICE:** LGT ACTIVATE MIRL Rwy 01-19 and REIL Rwy 01 and Rwy 19-122.8. Rwy 1 PAPI and REIL out of svc indef.

**AIRPORT REMARKS:** Attended April-Oct, Mon-Fri, 1400-0000Z and Nov-Mar, Mon-Fri 1500-0000Z. Small wildlife (dogs) on or in/ovf arpt. Mountains all quadrants. Heavy canyon winds. Heavy fire suppression work Mar-Oct. Gate code: 2010#

**AIRPORT MANAGER:** (928) 338-5515

**COMMUNICATIONS:** CTAF/UNICOM 122.8

**CLEARANCE DELIVERY PHONE:** For CD ctc Albuquerque ARTCC at 505-856-4861.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJN.

**ST JOHNS (H) VORTAC** 112.3 SJN Chan 70 N34°25.44' W109°08.61' 217° 55.8 NM to fld. 6840/12E.

**COMM/NAV/WEATHER REMARKS:** UNICOM monitored by USDOJ during fire season only May-August. AWOS frequency 124.25 3 clicks.

**PHOENIX**  
H-4K, L-5C

