

WAAS CH 70642 W22D	APP CRS 216°	Rwy Idg TDZE 642 Apt Elev 645	10000
--	------------------------	---	--------------

RNAV (GPS) Z RWY 22R

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

RNP APCH.


Simultaneous approach authorized. Use of FD or AP required during simultaneous operations. LNAV procedure NA during simultaneous operations. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats visibility to RVR 4500.

MALSR




MISSED APPROACH: Climb to 1100 then climbing right turn 4000 direct DOHNT and hold, continue climb in hold to 4000.

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.125 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CINC DEL 120.65	CPDLC
--------------------------	--	---------------------------------------	---	---------------------------	-------




ELEV 645	D TDZE 642
-----------------	--------------------------

1100 4000 DOHNT VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/ TCH 71)



CATEGORY	A	B	C	D
LPV DA		842/18	200 (200-½)	
LNAV/VNAV DA		948/24	306 (400-½)	
LNAV MDA	1040/24	398 (400-½)	1040/35	398 (400-⅝)
CIRCLING	1180-1	535 (600-1)	1180-1½	1240-2
			535 (600-1½)	595 (600-2)



TDZ/CILWys 3R, 4L, 4R and 22R
REIL Wys 3L, 9L, 9R and 21R
HIRL all runways

EC-1, 12 SEP 2019 to 10 OCT 2019

EC-1, 12 SEP 2019 to 10 OCT 2019