

# HOODO SIX DEPARTURE (RNAV)

SC-5, 12 SEP 2019 to 10 OCT 2019

CINC DEL  
125.6  
CTAF  
122.7  
HOUSTON DEP CON  
134.45 284.0

NOTE: RNAV 1.

NOTE: RADAR required.

NOTE: ATC assigned only.


NOTE: DME/DME/IRU or GPS required.

NOTE: For non-GPS equipped aircraft, LCH, LLA, TBD, and LEV DME's must be operational.

### TAKEOFF MINIMUMS

Rwys 5, 12, 23, 30: Standard with a minimum climb of 500' per NM to 540.

### TOP ALTITUDE: ASSIGNED BY ATC



NOTE: Chart not to scale.

### DEPARTURE ROUTE DESCRIPTION

- TAKEOFF RUNWAY 5: Climb heading 046° to 540, for RADAR vectors to VUH VOR/DME, thence . . . .
- TAKEOFF RUNWAY 12: Climb heading 121° to 540, for RADAR vectors to VUH VOR/DME, thence . . . .
- TAKEOFF RUNWAY 23: Climb heading 226° to 540, for RADAR vectors to VUH VOR/DME, thence . . . .
- TAKEOFF RUNWAY 30: Climb heading 301° to 540, for RADAR vectors to VUH VOR/DME, thence . . . .

. . . . on track 118° to HOODO, then on (transition). Maintain ATC assigned altitude.  
Expect filed altitude 10 minutes after departure.

- BOWFN TRANSITION (HOODO6.BOWFN)
- CFOOD TRANSITION (HOODO6.CFOOD)
- HARVEY TRANSITION (HOODO6.HRV)
- LEEVILLE TRANSITION (HOODO6.LEV)
- SBIRD TRANSITION (HOODO6.SBIRD)

SC-5, 12 SEP 2019 to 10 OCT 2019