

**GLENDALE MUNI** (GEU)(KGEU) 6 W UTC-7 N33°31.62' W112°17.71'

1071 B TPA—See Remarks NOTAM FILE GEU

**PHOENIX**  
H-4J, L-5B, A  
IAP, AD

**RWY 01-19:** H7150X100 (ASPH) S-40, D-60 MIRL 0.4% up NE

**RWY 01:** REIL. PAPI(P2L)—GA 3.0° TCH 38'. Thld dsplcd 701'.

Road. Rgt tfc.

**RWY 19:** REIL. PAPI(P2L)—GA 3.0° TCH 30'. Thld dsplcd 1001'.

Fence.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 01:** TORA-7150 TODA-7150 ASDA-6980 LDA-6279

**RWY 19:** TORA-7150 TODA-7150 ASDA-7116 LDA-6115

**SERVICE:** S4 FUEL 100LL, JET A1+ OX 4 LGT When twr clsd  
ACTIVATE REIL Rwy 01 and Rwy 19, PAPI Rwy 01 and Rwy 19,  
MIRL Rwy 01-19—CTAF.

**AIRPORT REMARKS:** Attended 1330-0230Z. Fuel avbl 24 hrs. Self-serv.  
100LL, Jet A 1330-0230Z, fee other hrs call 623-877-3333. Be  
alert to heavy military jet tfc 5 miles west. Coyotes and birds on arpt  
and invof arpt. High tension p-lines 1/4 mile west parallel to rwy  
unmarked and unlighted. Touch and go ldg discouraged between  
0500-1300Z only. Avoid noise sensitive areas north and southeast of  
arpt. Rwy 01 preferred for noise abatement. Ctc arpt manager for  
additional noise abatement procedures. TPA-2101(1030),  
1701(630) helicopter/ultralights, 2601(1530), high performance.  
West side helicopter pattern not avbl SS-SR.

**AIRPORT MANAGER:** 623-930-4744

**WEATHER DATA SOURCES:** AWOS-3 119.425 (623) 877-8609.

**COMMUNICATIONS:** CTAF 121.0 ATIS 119.425 UNICOM 122.95

**PHOENIX RCO** 122.2 122.6 (PRESCOTT RADIO)

® **LUKE APP/DEP CON** 118.15 (North) (1300-0530Z Mon-Thu, 1300-0130Z Fri, clsd weekends and holidays)

® **PHOENIX APP/DEP CON** 120.7 (0530-1300Z Mon-Thu, 0400-1300Z Fri-Sun)

**TOWER** 121.0 (Mon-Fri 1300-0330Z, Sat-Sun 1400-0200Z) **GND CON** 118.0

**AIRSPACE:** CLASS D svc 1300-0330Z Mon-Fri, 1400-0200Z Sat-Sun; other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PRC.

**PHOENIX (H) VORTACW** 115.6 PXR Chan 103 N33°25.98' W111°58.21' 277° 17.2 NM to fld. 1184/12E.

VOR unusable:

345°-360° byd 33 NM blo 10,000'

TACAN AZIMUTH & DME unusable:

345°-360° byd 33 NM blo 11,000'

VORTAC unusable:

015°-034° byd 33 NM blo 10,000'

090°-100° byd 15 NM blo 8,000'

185°-190° byd 30 NM blo 8,000'

185°-190° byd 38 NM blo 9,000'

190°-230° byd 20 NM blo 10,000'

345°-034° byd 10 NM blo 6,000'

345°-034° byd 20 NM blo 8,000'

360°-015° byd 33 NM blo 11,000'

DME unusable:

215°-315°

**COMM/NAV/WEATHER REMARKS:** Emergency frequency 121.5 not monitored by twr.

