

# ORLANDO FOUR DEPARTURE

**TOP ALTITUDE:  
5000**

### TAKEOFF MINIMUMS

Rwys 17L/R, 18L/R, 35L/R, 36L/R: Standard.

D-ATIS DEP 120.525  
 CLNC DEL 134.7 341.7  
 CPDLC  
 GND CON 126.4 275.8 (East)  
 121.8 275.8 (West)  
 ORLANDO INTL TOWER  
 (Rwys 17L-35R, 17R-35L) 118.45 253.5  
 (Rwys 18L-36R, 18R-36L) 124.3 253.5

SEMINOLE  
 117.5 SZW  
 Chan 122  
 N30°33.37'  
 W84°22.44'  
 L-21-22, H-8

OCALA  
 113.7 OCF  
 Chan 84  
 N29°10.65'  
 W82°13.58'  
 L-21-24

CRAIG  
 114.5 CRG  
 Chan 92  
 N30°20.33'  
 W81°30.60'  
 L-21-23-24, H-8-12

ORMOND BEACH  
 112.6 OMN  
 Chan 73  
 N29°18.20'  
 W81°06.76'  
 L-21-23-24, H-8

ORLANDO  
 112.2 ORL  
 Chan 59  
 N28°32.56'-W81°20.10'

ST PETERSBURG  
 116.4 PIE  
 Chan 111  
 N27°54.47'  
 W82°41.06'  
 L-21-24, H-8

LAKELAND  
 116.0 LAL  
 Chan 107  
 N27°59.17'  
 W82°00.83'  
 L-21-24, H-8

MELBOURNE  
 110.0 MLB  
 Chan 37  
 N28°06.32'  
 W80°38.12'  
 L-23-24

SARASOTA  
 117.0 SRQ  
 Chan 117  
 N27°24.42'  
 W82°33.82'  
 L-21-23, H-8

LEE COUNTY  
 111.8 RSW  
 Chan 55  
 N26°31.79'-W81°46.55'  
 L-21-23, H-8

PALM BEACH  
 115.7 PBI  
 Chan 104  
 N26°40.80'  
 W80°05.19'  
 L-23, H-8

NOTE: RADAR required.  
 NOTE: Takeoff Rwy 35L/R, 36L/R: DME required.

NOTE: Chart not to scale.

## DEPARTURE ROUTE DESCRIPTION

**TAKEOFF RWYS 17L/R, 18L/R:** Climb on heading as assigned for vectors to filed/assigned route. Thence. . . .

**TAKEOFF RWYS 35L/R, 36L/R:** Climb on heading as assigned for vectors to filed/assigned route. Cross 2 DME south of ORL VORTAC at or above 2300, cross ORL VORTAC R-115 at or above 2600, cross ORL VORTAC R-090 or R-270 at or above 3000. Thence. . . .

. . . .maintain 5000, expect further clearance to filed altitude/flight level 10 minutes after departure.

SE-3, 10 OCT 2019 to 07 NOV 2019

SE-3, 10 OCT 2019 to 07 NOV 2019