

# HOODO SIX DEPARTURE (RNAV)

SC-5, 10 OCT 2019 to 07 NOV 2019

AWOS-3  
119.325  
CTAF  
123.0  
HOUSTON DEP CON  
119.7 281.4

NOTE: RNAV 1.

NOTE: RADAR required.

NOTE: ATC assigned only.


NOTE: DME/DME/IRU or GPS required.

NOTE: For non-GPS equipped aircraft, LCH, ILA, TBD, and LEV DME's must be operational.

### TAKEOFF MINIMUMS

Rwy 16, 34: Standard with minimum climb of 500' per NM to 660.

### TOP ALTITUDE: ASSIGNED BY ATC



SCHOLES  
VUH

9300  
\*1400  
178°  
(32)

11000  
\*1400  
087°  
(36)

HOODO

SBIRD

(60)

CFOOD

(68)

BOWFN

11000  
\*1700  
076°  
(60)

LEEVILLE  
LEV

HARVEY  
HRV

11000  
\*2100  
048°  
(82)

NOTE: Chart not to scale.

### DEPARTURE ROUTE DESCRIPTION

**TAKEOFF RWY 16:** Climb heading 157° to 1400, for RADAR vectors to VUH VOR/DME, thence . . . .

**TAKEOFF RWY 34:** Climb heading 312° to 2000, for RADAR vectors to VUH VOR/DME, thence . . . .

. . . . on track 118° to HOODO, then on (transition). Maintain ATC assigned altitude.  
Expect filed altitude 10 minutes after departure.

BOWFN TRANSITION (HOODO6.BOWFN)

CFOOD TRANSITION (HOODO6.CFOOD)

HARVEY TRANSITION (HOODO6.HRV)

LEEVILLE TRANSITION (HOODO6.LEV)

SBIRD TRANSITION (HOODO6.SBIRD)

SC-5, 10 OCT 2019 to 07 NOV 2019