


LOC/DME I-TLH 110.3 Chan 40	APP CRS 004°	Rwy Idg 7000 TDZE 62 Apt Elev 83
--	------------------------	--

ILS or LOC RWY 36



TALLAHASSEE INTL (TLH)

DME required.	MALSR	MISSED APPROACH: Climb to 4000 direct SZW VORTAC and hold, continue climb-in-hold to 4000.
For inop ALS, increase S-LOC 36 Cats C/D visibility to RVR 6000. ** RVR 1800 authorized with use of FD or AP or HUD to DA.		

ATIS 119.45 239.25	TALLAHASSEE APP CON* 135.8 317.4	TALLAHASSEE TOWER* 118.7(CTAF) 257.8	GND CON 121.9 348.6	CLNC DEL 126.65 275.8	UNICOM 123.075
------------------------------	--	--	-------------------------------	---------------------------------	--------------------------



ELEV 83	TDZE 62
TDZ/CL Rwy 27	
REIL Rwy 9 and 18	
HIRL Rwy 9-27 and 18-36	



CATEGORY	A	B	C	D
S-ILS 36 **	262/24		200 (200-1/2)	
S-LOC 36	460/24	398 (400-1/2)	460/40	398 (400-3/4)
CIRCLING	580-1 497 (500-1)	600-1 517 (600-1)	640-1 1/2 557 (600-1 1/2)	800-2 1/4 717 (800-2 1/4)

SE-3, 10 SEP 2020 to 08 OCT 2020

SE-3, 10 SEP 2020 to 08 OCT 2020