

**UKIAH MUNI** (UKI)(KUKI) 1 S UTC-8(-7DT) N39°07.56' W123°12.05'

**SAN FRANCISCO**

617 B NOTAM FILE UKI

L-2G

**RWY 15-33:** H4423X150 (ASPH) S-28 MIRL 0.3% up N

**RWY 15:** REIL, VASI(V4L)—GA 3.0° TCH 27'. Trees.

**RWY 33:** REIL. Trees. Rgt tfc.

**SERVICE:** S4 FUEL 100LL, JET A OX1 LGT ACTIVATE MIRL Rwy 15-33, REIL and VASI Rwy 15, REIL Rwy 33—CTAF.

**NOISE:** For noise abatement calm wind rwy is Rwy 15. Arpt manager requests no VFR straight in apchs to Rwy 15-33 right turn after departure Rwy 33 to avoid overflight of town.

**AIRPORT REMARKS:** Attended 1600Z±-Dusk. No jet acft dep 0600-1500Z±.

Self-svc fuel avbl. Second rotating bcn on mountain 250° and 2 miles from arpt. Ldg fee for all acft over 12,500 lbs.

**AIRPORT MANAGER:** 707-467-2855

**WEATHER DATA SOURCES:** ASOS 119.275 (707) 462-7343.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.2 (OAKLAND RADIO)

RCO 122.35 (OAKLAND RADIO)

Ⓡ OAKLAND CENTER APP/DEP CON 127.8

**CLEARANCE DELIVERY PHONE:** For CD if una to ctc on FSS freq, ctc Oakland

ARTCC at 510-745-3380.


**AIRSPACE:** CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE UKI.

**MENDOCINO (H) VORTACW** 112.3 ENI Chan 70 N39°03.19' W123°16.46' 022° 5.5 NM to fld. 2985/16E.

**KEARN NDB (LOM)** 371 UK N39°16.55' W123°14.44' 151° 9.2 NM to fld. Outer marker component status: OM OTS permly SHUTDOWN.

**LOC/DME** 109.1 I-UKI Chan 28 Rwy 15. LOM KEARN NDB. Outer marker component status: OM OTS permly LOC unusable byd 25° r of course. DME unusable byd 25° right of course.



**UNIVERSITY** (See DAVIS on page 118)

## UPLAND

**CABLE** (CCB)(KCCB) 2 NW UTC-8(-7DT) N34°06.70' W117°41.24'

1444 B TPA—2244(800) NOTAM FILE RAL

**RWY 06-24:** H3863X75 (ASPH) S-20 MIRL 1.3% up NE

**RWY 06:** VASI(V2L)—GA 4.0° TCH 34'. Thld dsplcd 106'.

**RWY 24:** VASI(V2R)—GA 4.0° TCH 24'. Thld dsplcd 157'. Road.

**SERVICE:** S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LGT Rwy 24 VASI unusable byd 5° right and 9° left of centerline. MIRL Rwy 06-24 preset on low ints dusk to 0600Z±, after 0600Z± ACTIVATE—CTAF.

**AIRPORT REMARKS:** Attended dalgt hrs. Fuel self svc 24 hrs. Rwy 06-24 gross pavement strength provided by arpt operator 12,500 pounds.

**AIRPORT MANAGER:** (951) 315-9224

**WEATHER DATA SOURCES:** AWOS-3P 119.525 (909) 985-4731.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ SOCIAL APP/DEP CON 125.5

**CLEARANCE DELIVERY PHONE:** For CD ctc SoCal Apch at 800-448-3724.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE POC.

**POMONA (L) VORTACW** 110.4 POM Chan 41 N34°04.70'

W117°47.22' 053° 5.4 NM to fld. 1266/15E.

VORTAC unusable:

300°-045° byd 20 NM

VOR portion unusable:

280°-300° byd 20 NM blo 13,000'

TACAN AZIMUTH unusable:


280°-300° byd 20 NM blo 14,000'

**LOS ANGELES**

COPTER

L-3E, 4H, 7C, A

IAP



**HELIPAD H1:** H65X65 (ASPH) PERIMETER LGTS

**HELIPAD H2:** H65X65 (ASPH-COCON)

**HELIPORT REMARKS:** ACTIVATE Rwy H1 perimeter lgts—CTAF.