

|  |                        |   |
|--|------------------------|---|
| WAAS<br>CH <b>90421</b><br><b>W36A</b> | APP CRS<br><b>004°</b> | Rwy Idg <b>5497</b><br>TDZE <b>384</b><br>Apt Elev <b>422</b> |
|--|------------------------|---|



# RNAV (GPS) RWY 36

EVANSVILLE RGNL (EVV)

**ASR** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. Circling Rwy 9 NA at night. Helicopter visibility reduction below ¾ SM NA.

MISSED APPROACH: Climb to 2500 direct HEMEE and hold.

|                      |  |   |                         |                          |                         |
|----------------------|--|---|-------------------------|--------------------------|-------------------------|
| ATIS<br><b>120.2</b> | EVANSVILLE APP CON ★<br><b>124.025 290.9</b> | EVANSVILLE TOWER ★<br><b>118.7 (CTAF) 257.8</b> | GND CON<br><b>121.9</b> | CLNC DEL<br><b>126.6</b> | UNICOM<br><b>122.95</b> |
|----------------------|--|---|-------------------------|--------------------------|-------------------------|



| 4 NM Holding Pattern |                      | VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 29). |                         | 2500 HEMEE            |
|----------------------|----------------------|--|-------------------------|-----------------------|
| ADABN                |                      | WOOKI  | ORTFI 1.9 NM to RW36    | *LNAV only            |
| 2500 ← 184°          |                      | 004° →   | *1.3 NM to RW36         |                       |
| GP 3.00° TCH 55      |                      | 2500   | *1040                   |                       |
| 6.1 NM               |                      | 4.6 NM   | 0.6 NM                  | 1.3                   |
| CATEGORY             | A                    | B  | C                       | D                     |
| LPV DA               | 634-¾                |  | 250 (300-¾)             |                       |
| LNAV/VNAV DA         | 891-1¾               |  | 507 (500-1¾)            |                       |
| LNAV MDA             | 820-1                | 436 (500-1)  | 820-1¼                  | 436 (500-1¼)          |
| <b>C</b> CIRCLING    | 920-1<br>498 (500-1) | 1040-1<br>618 (700-1)  | 1040-1¾<br>618 (700-1¾) | 1040-2<br>618 (700-2) |

EC-2, 09 SEP 2021 to 07 OCT 2021

EC-2, 09 SEP 2021 to 07 OCT 2021