


LOC/DME I-CRE 111.7 Chan 54	APP CRS 234°	Rwy Idg TDZE 29 Apt Elev 31	5997
---	------------------------	---	-------------

ILS or LOC RWY 23




GRAND STRAND (CRE)

⚠ When local altimeter setting not received use Myrtle Beach Intl altimeter setting and increase all DA 31 feet and all MDA 40 feet. For inoperative MALS/R, increase S-LOC 23 Cat C and D visibility to 1. VDP NA with Myrtle Beach Intl altimeter setting. DME required.

MALS/R 

MISSED APPROACH: Climb to 1000 then climbing left turn to 2000 direct CRE VORTAC and hold, continue climb-in-hold to 2000.

ATIS 119.625	MYRTLE BEACH APP CON * 119.2 350.3	STRAND TOWER * 124.6 (CTAF) 0 257.6	GND CON 121.8 257.6	CLNC DEL 121.8	UNICOM 122.95
------------------------	--	---	-------------------------------	--------------------------	-------------------------



CATEGORY	A	B	C	D
S-ILS 23	229-½		200 (200-½)	
S-LOC 23	380-½ 351 (400-½)		380-⅝ 351 (400-⅝)	
CIRCLING	520-1 489 (500-1)		520-1½ 489 (500-1½) 720-2¼ 689 (700-2¼)	

SE-2, 09 SEP 2021 to 07 OCT 2021

SE-2, 09 SEP 2021 to 07 OCT 2021