

|   |                        |                             |   |
|---|------------------------|-----------------------------|---|
| LOC/DME I-HEW<br><b>110.5</b><br>Chan <b>42</b> | APP CRS<br><b>168°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>6002</b><br><b>152</b><br><b>152</b> |
|---|------------------------|-----------------------------|---|

# LOC RWY 17R


DAVID WAYNE HOOKS MEML (DWH)

RADAR required for procedure entry.



When local altimeter setting not received, use George Bush Intcnl/Houston altimeter setting and increase all MDA 40 feet; increase S-LOC 17R Cats C/D visibility 1/8 mile. Circling NA to Rwy 17W and 35W. Rwy 17R helicopter visibility reduction below 3/4 SM NA.

MISSED APPROACH: Climb to 1200 then climbing right turn to 2000 on heading 325° and IAH VORTAC R-293 to TNV VOR/DME and hold.

|                        |                                       |   |                               |                           |                         |
|------------------------|---------------------------------------|---|-------------------------------|---------------------------|-------------------------|
| ATIS<br><b>128.375</b> | HOUSTON APP CON<br><b>119.7 281.4</b> | HOOKS TOWER*<br><b>127.4 354.1 EAST</b><br><b>118.4 (CTAF) 354.1 WEST</b> | GND CON<br><b>121.8 239.0</b> | CLNC DEL<br><b>119.45</b> | UNICOM<br><b>122.95</b> |
|------------------------|---------------------------------------|---|-------------------------------|---------------------------|-------------------------|



|          |          |          |
|----------|----------|----------|
| ELEV 152 | <b>D</b> | TDZE 152 |
|----------|----------|----------|



|                   |                      |                      |                              |                      |
|-------------------|----------------------|----------------------|------------------------------|----------------------|
|                   | CATEGORY             |                      | CATEGORY                     |                      |
|                   | A                    | B                    | C                            | D                    |
| S-LOC 17R         | 640-1                | 488 (500-1)          | 640-1 3/8                    | 488 (500-1 3/8)      |
| <b>C</b> CIRCLING | 640-1<br>488 (500-1) | 660-1<br>508 (600-1) | 680-1 1/2<br>528 (600-1 1/2) | 760-2<br>608 (700-2) |

SC-5, 07 OCT 2021 to 04 NOV 2021

SC-5, 07 OCT 2021 to 04 NOV 2021