

LOC/DME I-PUK 111.15 Chan 48 (Y)	APP CRS 162°	Rwy ldg TDZE 10000 69 Apt Elev 69
---	------------------------	--

ILS or LOC RWY 16


NORTHWEST FLORIDA BEACHES INTL (ECP)

DME required for procedure entry. DME required.



MALSRL MISSED APPROACH: Climb to 600 then climbing left turn to 4000 on heading 025° and on MAI VORTAC R-237 to OLISS INT/MAI 33 DME and hold, continue climb-in-hold to 4000.

For inop ALS, increase S-LOC 16 Cat C/D visibility to RVR 5500.
#RVR 1800 authorized with use of FD or AP or HUD to DA.

ATIS 119.975	TYNDALL APP CON* 125.2 (N above 5000')	PANAMA CITY TOWER* 118.95 (CTAF) 0	GND CON 121.65
------------------------	--	---	--------------------------



ELEV 69	TDZE 69
----------------	----------------



CATEGORY	A	B	C	D
S-ILS 16 #		269/24	200 (200-1/2)	
S-LOC 16		420/24	351 (400-1/2)	
C CIRCLING	520-1	451 (500-1)	520-1 1/2 451 (500-1 1/2)	620-2 551 (600-2)

TDZ/CL Rwy 16 **0**
HIRL Rwy 16-34 **0**
REIL Rwy 34 **0**

SE-3, 04 NOV 2021 to 02 DEC 2021

SE-3, 04 NOV 2021 to 02 DEC 2021