


| | | |
|-------------|----------|--------------|
| APP CRS | Rwy Idg | 10001 |
| 036° | TDZE | 633 |
| | Apt Elev | 645 |

RNAV (RNP) X RWY 3R

DETROIT METRO WAYNE COUNTY (DTW)

| | | | | |
|--|--|---------|--|--|
| RNP AR APCH. | | ALSIF-2 | MISSED APPROACH: Climb to 1100 then climbing right turn to 4000 direct GAAGE and hold. | |
| Simultaneous approach authorized. For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C. | | | | |



| | | | | | |
|----------------|---------------------|----------------------|--|---------------|-------|
| D-ATIS | DETROIT APP CON | METRO TOWER | GND CON | CINC DEL | CPDLC |
| 133.675 | 125.15 284.0 | 118.4 317.725 | 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE) | 120.65 | |



EC-1, 02 DEC 2021 to 30 DEC 2021

EC-1, 02 DEC 2021 to 30 DEC 2021

| | | | |
|---------------------------------|-----|------|-----|
| ELEV | 645 | TDZE | 633 |
| HIRL all runways | | | |
| REIL Rwy's 3L, 9L, 9R and 21R | | | |
| TDZ/CL Rwy's 3R, 4L, 4R and 22R | | | |



| | | | | |
|-------------|---------|---|-------------|---|
| CATEGORY | A | B | C | D |
| RNP 0.30 DA | 1021/35 | | 388 (400-%) | |

AUTHORIZATION REQUIRED