to 16 JUN 2022

SE-2, 19 MAY 2022

ESTRR FOUR DEPARTURE (RNAV)



DEPARTURE ROUTE DESCRIPTION SEE ADDITIONAL REQUIREMENTS ON AAUP

<u>TAKEOFF RWY 5:</u> Climb heading 055° to 1260, then on heading 055° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

TAKEOFF RWYS 18C/L: Climb heading 183° to 1260, then on heading 183° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

TAKEOFF RWY 18R: Climb heading 183° to 1260, then on heading 200° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

TAKEOFF RWY 23: Climb heading 235° to 1260, then on heading 235° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

<u>TAKEOFF RWY 36C:</u> Climb heading 003° to 1260, then on heading 330° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

TAKEOFF RWY 36L: Climb heading 003° to 1260, then on heading 315° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

TAKEOFF RWY 36R: Climb heading 003° to 1260, then on heading 025° or as assigned by ATC, expect RADAR vectors to GINNN, thence. . . .

. . . . on track 255° to ESTRR, then on IPTAY transition. Maintain 8000. Expect clearance to filed altitude within 10 minutes after departure.

IPTAY TRANSITION (ESTRR4.IPTAY)