



LOC/DME I-HFW	APP CRS	Rwy Idg	8800
109.3	095°	TDZE	1015
Chan 30		Apt Elev	1026

ILS RWY 8L (SA CAT I)
HARTSFIELD-JACKSON ATLANTA INTL (ATL)


RADAR required for procedure entry. DME or RADAR required.				ALSIF-2		MISSED APPROACH: Climb to 1500 then climbing left turn to 3500 on heading 360° and RMG VORTAC R-115 to TROYS/RMG 38.1 DME/RADAR and hold.					
Simultaneous approach authorized. Requires specific OPSPEC, MSPEC, or LOA approval.											
D-ATIS		ATLANTA		ATLANTA TOWER				GND CON		ALL	
ARR 119.65		APP CON		8L-26R 8R-26L 9L-27R 9R-27L 10-28		RWYS		(8L-26R,8R-26L) (9L-27R,9R-27L) 10-28		RWYS	
DEP 125.55		127.9 379.9		119.1 125.325 123.85 119.3 119.5		254.4		121.9		121.75 121.65 254.4	



ELEV 1026	TDZE 1015
-----------	-----------



CATEGORY	A	B	C	D
S-ILS 8L				
RA 147/14 150 DA 1165				
SA CATEGORY I ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED				



HIRL all Rwy
TDZ/CL Rwy 8L, 9R,
10, 26R, 27L and 28