


LOC I-PWB	APP CRS	Rwy Idg	9189
111.9	279°	TDZE	18
		Apt Elev	20

ILS or LOC RWY 28R


PALM BEACH INTL (PBI)

DME or RADAR required. DME or RADAR required for procedure entry.		MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORGA/PBI 17.8 DME and hold.	

D-ATIS	PALM BEACH APP CON	PALM BEACH TOWER	GND CON	CLNC DEL	CPDLC
123.75	128.3 317.4	119.1 257.8	121.9 284.6	121.6 284.6	



ELEV 20	D	TDZE 18
---------	---	---------



500 3000		PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00°/TCH 70°).	
		RELTY PBI 4.8 RADAR		One Minute Holding Pattern	
		CAFEN PBI 6.4 RADAR		CUPED PBI 10.8 RADAR	
		PBI 0.4		GS 3.00° TCH 58	
CATEGORY		A	B	C	D
S-ILS 28R		218/40		200 (200-3/4)	
S-LOC 28R		460/55		442 (500-1)	
CIRCLING		560-1		540 (600-1)	
		740-2		780-2 1/2	
		720 (800-2)		760 (800-2 1/2)	