



LOC/DME I- ACT 109.7 Chan 34	APP CRS 187°	Rwy Idg TDZE Apt Elev 6605 505 516	ILS or LOC RWY 19 WACO RGNL (ACT)	
---	------------------------	--	--------------------------------------	--

DME required.			MALSR	MISSED APPROACH: Climb to 1500 then climbing left turn to 4000 on ACT VORTAC R-164 to BOSEL 14 DME and hold, continue climb-in-hold to 4000.
** RVR 1800 authorized with use of FD or AP or HUD to DA.				

ATIS 123.85	WACO APP CON ★ 127.65 227.125	WACO TOWER ★ 119.3 (CTAF) 0 257.8	GND CON 121.9	UNICOM 122.95
-----------------------	---	---	-------------------------	-------------------------



ELEV 516 TDZE 505		1500 4000 BOSEL		WESLI INT I- ACT 17	
*LOC only.		* I- ACT 2.3		COFFI INT I- ACT 6.1	
1.1		3.8 NM		10.9 NM	
CATEGORY	A	B	C	D	
S-ILS 19**	705/24 200 (200-½)				
S-LOC 19	900/24 395 (400-½)		900/35 395 (400-¾)		
CIRCLING	940-1 424 (500-1)		980-1 464 (500-1)		1020-1½ 504 (600-½)
					1160-2 644 (700-2)