


|             |          |             |
|-------------|----------|-------------|
| APP CRS     | Rwy Idg  | <b>5700</b> |
| <b>196°</b> | TDZE     | <b>55</b>   |
|             | Apt Elev | <b>56</b>   |

# RNAV (RNP) Z RWY 20R

JOHN WAYNE/ORANGE COUNTY (SNA)

|                                                                                                         |  |  |             |                                                        |  |  |
|---------------------------------------------------------------------------------------------------------|--|--|-------------|--------------------------------------------------------|--|--|
| For uncompensated Baro-VNAV systems, procedure NA below 5°C (41°F) or above 54°C (130°F). GPS required. |  |  | MALSR<br>AS | MISSED APPROACH: Climb to 3000 on track 196° to MINOE. |  |  |
|---------------------------------------------------------------------------------------------------------|--|--|-------------|--------------------------------------------------------|--|--|


|                        |                                     |                                                          |                         |                          |       |                         |
|------------------------|-------------------------------------|----------------------------------------------------------|-------------------------|--------------------------|-------|-------------------------|
| D-ATIS<br><b>126.0</b> | SOCAL APP CON<br><b>121.3 263.1</b> | JOHN WAYNE TOWER *<br><b>126.8</b> (CTAF) <b>343.625</b> | GND CON<br><b>120.8</b> | CLNC DEL<br><b>118.0</b> | CPDLC | UNICOM<br><b>122.95</b> |
|------------------------|-------------------------------------|----------------------------------------------------------|-------------------------|--------------------------|-------|-------------------------|



SW-3, 21 MAR 2024 to 18 APR 2024

SW-3, 21 MAR 2024 to 18 APR 2024

|                      |            |                                                                                                             |               |
|----------------------|------------|-------------------------------------------------------------------------------------------------------------|---------------|
| 3000<br>↑<br>fr 196° | MINOE<br>△ | VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 68).<br>See planview for multiple IF locations. | ZETOV<br>1400 |
|                      |            | GP 3.00°<br>TCH 51                                                                                          |               |



| CATEGORY    | A | B                   | C                          | D |
|-------------|---|---------------------|----------------------------|---|
| RNP 0.11 DA |   | 377/30              | 322 (400- $\frac{5}{8}$ )  |   |
| RNP 0.15 DA |   | 563-1 $\frac{1}{4}$ | 508 (600-1 $\frac{1}{4}$ ) |   |
| RNP 0.30 DA |   | 619-1 $\frac{1}{2}$ | 564 (600-1 $\frac{1}{2}$ ) |   |

## AUTHORIZATION REQUIRED