


WAAS CH 61111	APP CRS 219°	Rwy Idg 8001
W22A		TDZE 31
		Apt Elev 33

RNAV (GPS) RWY 22

ELLINGTON (EFD)

RNP APCH.	MALSR	MISSED APPROACH: Climb to 500 then climbing left turn to 3100 direct WATFO and hold.
<p>⚠ Circling NA west of Rwy 17R - 35L. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -1.5°C or above 54°C. For inop ALS, increase LPV Cat E visibility to RVR 4000, LNAV/VNAV all Cats visibility to RVR 4500, and LNAV Cats C/D/E visibility to RVR 5500.</p>		


ATIS 135.575 269.9	HOUSTON APP CON 134.45 284.0	ELLINGTON TOWER 126.05 253.5	GND CON 121.6 275.8
------------------------------	--	--	-------------------------------



SC-5, 13 JUN 2024 to 11 JUL 2024

SC-5, 13 JUN 2024 to 11 JUL 2024

ELEV 33	D	TDZE 31
---------	----------	---------



500	3100	WATFO	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 50).
*LNAV only.		YAKUD 2.2 NM to RW22	WZDOM 2000
*1 NM to RW22		SEVSY 2000	GP 3.00° TCH 54
1 NM	1.2 NM	3.8 NM	6.1 NM

CATEGORY	A	B	C	D	E
LPV DA		231/18	200 (200-1/2)		
LNAV/VNAV DA		341/24	310 (400-1/2)		
LNAV MDA	400/24	369 (400-1/2)	400/35	369 (400-3/4)	
C CIRCLING	500-1	467 (500-1)	580-1 1/2 547 (600-1 1/2)	640-2 607 (700-2)	700-2 1/4 667 (700-2 1/4)