

| | | | |
|--|------------------------|-----------------------------|---------------------------------------|
| WAAS CH 53611 W22A | APP CRS 223° | Rwy Idg TDZE Apt Elev | 4945 23 24 |
|--|------------------------|-----------------------------|---------------------------------------|



RNAV (GPS) RWY 22

VERO BEACH RGNL (VRB)



⚠ Circling to Rwy 30R NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 0°C (32°F) or above 43°C (109°F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Fort Pierce altimeter setting and increase LPV DA to 363 feet and all visibilities 1/8 SM; increase LNAV/VNAV DA to 567 feet and all visibilities 1/8 SM; increase all MDAs 40 feet and LNAV Cat C/D visibility 1/8 SM and Circling Cat C/D visibility 1/4 SM. Baro-VNAV and VDP NA when using Fort Pierce altimeter setting. Rwy 22 helicopter visibility reduction below 3/4 SM NA.

MISSED APPROACH:
Climb to 2000 direct
JINSO and hold.

| | | | | | |
|------------------------|--|---|--------------------------|----------------------------|-------------------------|
| ATIS 120.575 | PALM BEACH APP CON 123.625 225.4 (N) | VERO BEACH TOWER * 126.3 (CTAF) 0 | GND CON 127.45 | CLNC DEL 134.975 | UNICOM 122.95 |
|------------------------|--|---|--------------------------|----------------------------|-------------------------|



| | | |
|---------|----------|---------|
| ELEV 24 | D | TDZE 23 |
|---------|----------|---------|



| CATEGORY | A | B | C | D |
|--------------|-------|-------------|------------------------------|------------------------------|
| LPV DA | | 340-1 | 317 (400-1) | |
| LNAV/VNAV DA | | 544-1 3/4 | 521 (600-1 3/4) | |
| LNAV MDA | 520-1 | 497 (500-1) | 520-1 3/8 | 497 (500-1 3/8) |
| CIRCLING | 560-1 | 536 (600-1) | 660-1 3/4 636 (700-1 3/4) | 820-2 1/2 796 (800-2 1/2) |

MIRL Rwy 4-22, 12R-30L, and 12L-30R
REIL Rwy 4, 12R, 22 and 30L

SE-3, 13 JUN 2024 to 11 JUL 2024

SE-3, 13 JUN 2024 to 11 JUL 2024