


| | | |
|-------------------------------------------------|------------------------|-----------------------------------------------------------------|
| LOC/DME I-HZL 110.5 Chan 42 | APP CRS 284° | Rwy Idg 4898 TDZE 1603 Apt Elev 1603 |
|-------------------------------------------------|------------------------|-----------------------------------------------------------------|

LOC RWY 28
HAZLETON RGNL (HZL)


| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|
| RNAV 1-GPS required for procedure entry. RNAV 1-GPS required from MAP to ECEDI. | MALS ☉ | MISSED APPROACH: Climb to 4400 direct ECEDI and hold. |
| ▼ ▲ NA Rwy 28 helicopter visibility reduction below 3/4 SM NA. Inop table does not apply to Cats A/B. For inop ALS, increase Cat C/D visibility to 1 1/8 SM. | | |

| | | | |
|--------------------------|--------------------------------------------|--------------------------|---------------------------------|
| AWOS-3 119.975 | WILKES-BARRE APP CON 126.3 256.7 | CLNC DEL 121.7 | UNICOM 123.0 (CTAF) 📻 |
|--------------------------|--------------------------------------------|--------------------------|---------------------------------|




NE-4, 13 JUN 2024 to 11 JUL 2024

NE-4, 13 JUN 2024 to 11 JUL 2024




| | |
|---------------------------|------------------|
| ELEV 1603 D | TDZE 1603 |
|---------------------------|------------------|



REIL Rwy 10 📻
MIRL Rwy 10-28 📻

FAF to MAP 4.9 NM

| | | | | | |
|---------|------|------|------|------|------|
| Knots | 60 | 90 | 120 | 150 | 180 |
| Min:Sec | 4:54 | 3:16 | 2:27 | 1:58 | 1:38 |



| | | | | |
|-------------------|-----------------------|-----------------------|-------------------------------|------------------------|
| CATEGORY | A | B | C | D |
| S-LOC 28 | 2280-1 | 677 (700-1) | 2280-1 3/4 | 677 (700-1 3/4) |
| C CIRCLING | 2280-1 677 (700-1) | 2400-1 797 (800-1) | 2480-2 1/2 877 (900-2 1/2) | 2520-3 917 (1000-3) |