




LOC I-MFD <b>110.5</b>	APP CRS <b>323°</b>	Rwy Idg TDZE Apt Elev	<b>9001</b> <b>1293</b> <b>1297</b>
---------------------------	------------------------	-----------------------------	---

# ILS or LOC RWY 32


MANSFIELD LAHM RGNL (MFD)

ADF or DME.		MALSR	MISSED APPROACH: Climb to 2000 then climbing left turn to 3000 direct MFD VORTAC and hold.
For inop ALS increase S-ILS 32 all Cats visibility to 1¼ SM.			

ATIS <b>125.3</b>	CLEVELAND APP CON ★ <b>124.2 360.65</b>	MANSFIELD TOWER ★ <b>119.8 (CTAF) 291.775</b>	GND CON <b>121.8 291.775</b>	UNICOM <b>122.95</b>
----------------------	--	--	---------------------------------	-------------------------



ELEV 1297	D	TDZE 1293
-----------	---	-----------



CATEGORY	A	B	C	D
S-ILS 32	1493/24		200 (200-½)	
S-LOC 32	1840/40	547 (600-¾)	1840/60	547 (600-1¼)
CIRCLING	1840-1	543 (600-1)	2000-2 703 (800-2)	2000-2¼ 703 (800-2¼)

REIL Rwy 5 and 23	
HRL Rwy 5-23 and 14-32	
FAF to MAP 3.1 NM	
Knots	60 90 120 150 180
Min:Sec	3:06 2:04 1:33 1:14 1:02