


| | | | |
|----------------------------------------|------------------------|-----------------------------|-------------------------------------------|
| WAAS CH 42539 W22A | APP CRS 215° | Rwy Idg TDZE Apt Elev | 7398 5817 5837 |
|----------------------------------------|------------------------|-----------------------------|-------------------------------------------|

RNAV (GPS) RWY 22




DOUBLE EAGLE II (A/E/G)

⚠ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -26°C (-14°F) or above 46°C (114 °F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Albuquerque Intl Sunport altimeter setting and increase LPV DA to 6111, LNAV-VNAV DA to 6234; increase all MDA 100 feet, and increase LNAV/VNAV visibility all Cats and LNAV Cat C/D visibility 3/8 mile and Circling Cat C/D visibility 1/2 mile. For inop MALSR, increase LNAV/VNAV all Cats visibility to 1 mile. For inop MALSR when using Albuquerque Intl Sunport altimeter setting, increase LPV all Cats visibility to 1 mile and LNAV/VNAV all Cats and LNAV Cat C/D visibility to 1 3/8 mile.

MALSR 

MISSED APPROACH:
Climb to 8800 direct YECUG and hold.

| | | | | |
|------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------|
| ATIS 119.025 | ALBUQUERQUE APP CON 127.4 253.5 | DOUBLE EAGLE II TOWER * 120.15 (CTAF)  | GND CON 121.625 | CLNC DEL 124.8 (When twr closed) |
|------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------|



| CATEGORY | A | B | C | D |
|-------------------|----------|---------------|-------------------------------|-------------------------------|
| LPV DA | | 6017-1/2 | 200 (200-1/2) | |
| LNAV/VNAV DA | | 6140-5/8 | 323 (400-3/8) | |
| LNAV MDA | 6200-1/2 | 383 (400-1/2) | 6200-5/8 | 383 (400-5/8) |
| C CIRCLING | 6400-1 | 563 (600-1) | 6420-1 1/2 583 (600-1 1/2) | 6640-2 1/2 803 (900-2 1/2) |

SW-1, 13 JUN 2024 to 11 JUL 2024

SW-1, 13 JUN 2024 to 11 JUL 2024