


# RNAV (RNP) Z RWY 17L

LOUISVILLE MUHAMMAD ALI INTL (SDF)

|             |          |             |
|-------------|----------|-------------|
| APP CRS     | Rwy Idg  | <b>7800</b> |
| <b>170°</b> | TDZE     | <b>499</b>  |
|             | Apt Elev | <b>501</b>  |



|  |  |       |  |
|--|--|-------|--|
| RNP AR APCH - GPS.   |  | MALSR | MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 direct IIL VORTAC and hold, continue climb-in-hold to 3000. |
| For uncompensated Baro-VNAV systems, procedure NA below -13°C or above 54°C. Simultaneous approach authorized. |  |       |  |

|                          |  |  |                               |                                |       |
|--------------------------|--|--|-------------------------------|--------------------------------|-------|
| D-ATIS<br><b>118.725</b> | LOUISVILLE APP CON<br><b>132.075 327.0</b> | LOUISVILLE TOWER<br><b>124.2 257.8</b> | GND CON<br><b>121.7 348.6</b> | CLNC DEL<br><b>126.1 275.8</b> | CPDLC |
|--------------------------|--|--|-------------------------------|--------------------------------|-------|



SE-1, 08 AUG 2024 to 05 SEP 2024

SE-1, 08 AUG 2024 to 05 SEP 2024



|             |        |   |               |   |
|-------------|--------|---|---------------|---|
| CATEGORY    | A      | B | C             | D |
| RNP 0.30 DA | 936/40 |   | 437 (500-3/4) |   |

## AUTHORIZATION REQUIRED