


|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>90144</b><br><b>W09A</b> | APP CRS<br><b>086°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>5002</b><br><b>4019</b><br><b>4053</b> |
|--|------------------------|-----------------------------|---|

# RNAV (GPS) RWY 9

JEROME COUNTY (JER)

|  |  |
|--|--|
| RNP APCH.  | MISSED APPROACH: (Do not exceed 185K until LAHEW) Climb to 4900 then climbing right turn to 6500 direct LAHEW and hold. # Missed approach requires minimum climb of 300 feet per NM to 5200. |
| <p>▼</p> <p>▲</p> <p>For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. Circling NA north of Rwy 9-27.</p> |  |


|                        |  |                                 |
|------------------------|--|---------------------------------|
| ASOS<br><b>135.225</b> | TWIN FALLS APP CON★<br><b>126.7 353.75</b> | UNICOM<br><b>122.8 (CTAF) 0</b> |
|------------------------|--|---------------------------------|



NW-1, 08 AUG 2024 to 05 SEP 2024

NW-1, 08 AUG 2024 to 05 SEP 2024

|                      |  |           |           |
|----------------------|--|-----------|-----------|
| 7 NM Holding Pattern | VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 40). | ELEV 4053 | TDZE 4019 |
|----------------------|--|-----------|-----------|



| CATEGORY     | A                     | B                       | C            | D            |
|--------------|-----------------------|-------------------------|--------------|--------------|
| LPV DA #     |                       | 4544-1½                 | 525 (500-1½) |              |
| LPV DA       |                       | 4624-1¾                 | 605 (600-1¾) |              |
| LNAV/VNAV DA |                       | 4674-1⅞                 | 655 (700-1⅞) |              |
| LNAV MDA     | 4820-1<br>801 (800-1) | 4820-1¼<br>801 (800-1¼) | 4820-2½      | 801 (800-2½) |
| CIRCLING     | 4820-1<br>767 (800-1) | 4820-1¼<br>767 (800-1¼) | 4820-2½      | 767 (800-2½) |

