

ALBANY INTL (ALB)(KALB) P (ARNG) 6 NW UTC-5(-4DT) N42°44.95' W73°48.12'

NEW YORK

285 B AOE Class I, ARFF Index C NOTAM FILE ALB

H-101, 11C, 12K, L-32G, 33B, 34I

RWY 01-19: H8500X150 (ASPH-GRVD) S-140, D-200, 2D-400

IAP, AD

PCN 70 F/C/X/T HIRL CL

RWY 01: MALS.R. TDZL. PAPI(P4R)—GA 3.0° TCH 53'. RVR-TR

RWY 19: MALS.R. PAPI(P4L)—GA 3.0° TCH 53'. RVR-TR Tree.

RWY 10-28: H7200X150 (ASPH-GRVD) S-140, D-200, 2D-400

PCN 67 F/C/X/T MIRL CL

RWY 10: REIL. Ground.

RWY 28: REIL. PAPI(P4L)—GA 3.22° TCH 53'. Thld dsplcd 1192'. Tree.


LAND AND HOLD-SHORT OPERATIONS

LDG RWY	HOLD-SHORT POINT	AVBL LDG DIST
RWY 01	10-28	4150
RWY 28	01-19	3757

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-8500 TODA-8500 ASDA-8500 LDA-8500
RWY 10: TORA-7200 TODA-7200 ASDA-6780 LDA-6780
RWY 19: TORA-8500 TODA-8500 ASDA-8500 LDA-8500
RWY 28: TORA-7200 TODA-7200 ASDA-7200 LDA-6007

SERVICE: S4 FUEL 100LL, JET A OX3 FUEL (NC-100LL, A) FLUID HPOXRB



AIRPORT REMARKS: Attended continuously. Birds, deer and other wildlife on and in/ov arpt. Mowing within safety areas of all rwys and twys May through Nov. Wx balloon launches approximately 3 miles south of arpt at 1100Z± and 2300Z±. Twy C west of Twy A non movement area. Twy D east of Rwy 01-19 rstd to acft 12,500 lbs and less. No acft parking between fire station and Twy L. Customs/Immigration's Fit Information Service located north end General Aviation apron. Acft clearing Customs utilize painted markings and proceed to minimize blast impact. Ldg fee. Flight Notification Service (ADCUS) avbl.

AIRPORT MANAGER: 518-242-2352

WEATHER DATA SOURCES: ASOS 120.45 (518) 464-6423. LLWAS. WSP.

COMMUNICATIONS: D-ATIS 120.45 UNICOM 122.95

RCO 122.2 (BURLINGTON RADIO)

Ⓡ APP/DEP CON 118.05 (194°-011°) 132.825 (011°-194°)

TOWER 119.5 GND CON 121.7 CLNC DEL 127.5 NG OPNS 30.1 (FM) 122.775 258.2

PDC

AIRSPACE: CLASS C svc ctc APP CON.

VOR TEST FACILITY (VOT) 108.2

RADIO AIDS TO NAVIGATION: NOTAM FILE ALB.

(L) (L) VORTACW 115.3 ALB Chan 100 N42°44.84' W73°48.19' at fld. 273/13W.

VOR unusable:

- 045°-065° byd 11 NM
- 066°-069° byd 11 NM blo 10,000'
- 078°-088° byd 20 NM blo 10,000'
- 109°-121°
- 121°-131° byd 30 NM
- 121°-131° wi 30 NM blo 9,900'
- 131°-168°
- 184°-189°
- 226°-269° byd 29 NM blo 15,000'
- 312°-315°
- 333°-343°

TACAN AZIMUTH unusable:

- 032°-042° byd 15 NM
- 164°-168°
- 303°-308° byd 37 NM
- 308°-333°

DME unusable:

- 303°-308° byd 37 NM

ILS/DME 109.5 I-DEJ Chan 32 Rwy 01. Class IIE.

ILS/DME 109.5 I-ALB Chan 32 Rwy 19. Class IB.

COMM/NAV/WEATHER REMARKS: Class C information avbl on ATIS frequency 20 NM.

ALBERT S NADER RGNL (See ONEONTA on page 235)