

**LAUGHLIN/BULLHEAD INTL** (IFP)(KIFP) 1 N UTC-7 N35°09.28' W114°33.56'  
 707 B TPA—See Remarks Class I, ARFF Index B NOTAM FILE IFP  
**RWY 16-34:** H8501X150 (ASPH-GRVD) S-75, D-200, 2D-400

**PHOENIX**  
**H-4J, L-7E**  
**IAP, AD**

PCN 52 F/A/X/T MIRL  
**RWY 16:** REIL. PAPI(P4L)—GA 3.13° TCH 51'. Pole. Rgt tfc. 0.9% up.  
**RWY 34:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. 1.0% down.

**RUNWAY DECLARED DISTANCE INFORMATION**  
**RWY 16:** TORA-8500 TODA-8500 ASDA-8500 LDA-8500  
**RWY 34:** TORA-8500 TODA-8500 ASDA-8500 LDA-8500

**SERVICE:** FUEL 100LL, JET A **OX 1, 2** **LGT** ACTVT REIL Rwy 16-34;  
 MIRL Rwy 16-34—CTAF.

**NOISE:** Noise sensitive areas NE and SE of arpt.

**AIRPORT REMARKS:** Attended continuously. Svcs and fuel  
 1300-0500Z-122.85; aft hr not avbl. Sfc cond unmnt 0600Z-1200Z.  
 Ctn: lrg coml ops aft ATCT hrs; birds on and invof arpt Sep-Dec. Radar  
 svc blw 6000 ft. not avbl. Twy Alpha 4 ltd to wingspans less than 79  
 ft. Twy A5 btn Twy A and gen avn apron ltd to wingspan less than 79  
 ft. Mountains NW, NE, E, and SE. Rising trrn N and S of rwy ends. Rwy  
 16 66 ft pline parl to rwy 625 ft L 1300 ft fm rwy end. TPA for light  
 acct 1706(999), TPA for high performance acct 2206(1499). GA Indg  
 fee—928-754-2134.

**AIRPORT MANAGER:** 928-754-2134 X24  
**WEATHER DATA SOURCES:** AWOS-3PT 119.825 (928) 754-4462.  
**COMMUNICATIONS:** CTAF 123.9 ATIS 119.825 (1500-0100Z)

Ⓜ **L.A. CENTER APP/DEP CON** 134.65  
**BULLHEAD TOWER** 123.9 (1500-0100Z) **GND CON** 118.25  
**L.A. CENTER CLNC DEL** 118.25 (When tower closed)

**AIRSPACE:** CLASS D svc 1500-0100Z; other times CLASS G.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE EED.

**NEEDLES (VH) (H) VORTAC** 115.2 EED Chan 99 N34°45.96' W114°28.45' 335° 23.7 NM to fld. 620/15E.

- VOR unusable:  
 042°-052° byd 40 NM blo 18,000'  
 053°-059° byd 40 NM  
 060°-070° byd 40 NM blo 18,000'  
 071°-085° byd 40 NM blo 10,000'  
 071°-085° byd 55 NM  
 095°-110° byd 40 NM  
 100°-130° byd 27 NM blo 6,600'  
 170°-220° byd 20 NM blo 5,800'  
 211°-221° byd 40 NM blo 14,500'  
 211°-221° byd 66 NM  
 220°-280° byd 35 NM blo 6,800'  
 222°-251° byd 40 NM  
 252°-262° byd 40 NM blo 8,000'  
 252°-262° byd 62 NM  
 263°-281° byd 40 NM  
 289°-309° byd 40 NM  
 319°-326° byd 40 NM  
 335°-041° byd 40 NM

- TACAN AZIMUTH unusable:  
 100°-130° byd 27 NM blo 6,600'  
 165°-220° byd 20 NM blo 8,000'  
 165°-220° byd 30 NM blo 12,000'  
 170°-220° byd 20 NM blo 5,800'  
 220°-280° byd 35 NM blo 6,800'

- DME unusable:  
 100°-130° byd 27 NM blo 6,600'  
 165°-220° byd 20 NM blo 8,000'  
 165°-220° byd 30 NM blo 12,000'  
 170°-220° byd 20 NM blo 5,800'  
 220°-280° byd 35 NM blo 6,800'

**COMM/NAV/WEATHER REMARKS:** ATIS broadcasts during tower hours of operation. After tower hours of operation broadcast will revert to AWOS-3PT using the same frequency.

