

PERKINS FLD (U08) 2 N UTC-8(-7DT) N36°34.09' W114°26.60'
 1366 B TPA—2166(800) NOTAM FILE RNO
RWY 14-32: H4811X75 (ASPH) S-30 MIRL 0.3% up NW
RWY 32: Rgt t/c.

LAS VEGAS
L-7E

SERVICE: FUEL 100LL LGT ACTVT MIRLS Ry 14-32—CTAF.
AIRPORT REMARKS: Attended Thu-Mon dalgt hrs. Tues and Wed svc avbl on call 702-397-8457. Parachute Jmping. Ultralight and skydiving activity ongoing on or near the arpt. Skydiving activity on/invof arpt dty SR-SS.


AIRPORT MANAGER: 702-261-3805
COMMUNICATIONS: CTAF/UNICOM 122.8
CLEARANCE DELIVERY PHONE: For CD ctc Los Angeles ARTCC at 661-575-2079.

RADIO AIDS TO NAVIGATION: NOTAM FILE RNO.
MORMON MESA (L) (L) VORTAC 113.1 MMM Chan 78 N36°46.16' W114°16.65' 198° 14.5 NM to fld. 2106/16E.

VOR unusable:
 060°-110° byd 25 NM blo 15,000'
 110°-135° byd 15 NM
 270°-335° byd 10 NM

TACAN AZIMUTH unusable:
 060°-110° byd 25 NM blo 15,000'
 110°-135° byd 15 NM
 270°-340° byd 10 NM

DME unusable:
 060°-110° byd 25 NM blo 15,000'
 110°-135° byd 15 NM
 270°-340° byd 10 NM



OWYHIE (10U) 4 W UTC-8(-7DT) N41°57.22' W116°10.92'
 5377 B NOTAM FILE RNO

SALT LAKE CITY
L-11B
IAP

RWY 05-23: H4700X60 (ASPH) MIRL
RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 44'.
RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 44'.

SERVICE: LGT ACTVT REIL Rwy 05 and Rwy 23; PAPI Rwy 05 and Rwy 23; MIRL Rwy 05-23—CTAF. Rwy 23 PAPI unusbl byd 3.25 NM due to trm.

AIRPORT REMARKS: Unattended. Bird act invof arpt. Tie-down chains not prvdd. 3 hel prkg pads adj to main ramp.
AIRPORT MANAGER: 208-810-0879

WEATHER DATA SOURCES: AWOS-3PT 118.525 (208) 696-6007.

COMMUNICATIONS: CTAF 122.9

Ⓡ SALT LAKE CENTER APP/DEP CON 118.05

CLEARANCE DELIVERY PHONE: For CD ctc Salt Lake ARTCC at 801-320-2568.

RADIO AIDS TO NAVIGATION: NOTAM FILE RNO.

BATTLE MOUNTAIN (VH) (H) VORTACW 112.2 BAM Chan 59 N40°34.14' W116°55.34' 009° 89.5 NM to fld. 4544/13E.

VOR unusable:
 037°-054° byd 40 NM blo 11,000'
 037°-054° byd 55 NM
 055°-065° byd 30 NM blo 12,000'
 056°-075° byd 40 NM
 120°-170° byd 15 NM blo 12,000'
 242°-273° byd 40 NM
 260°-295° byd 15 NM blo 12,000'
 290°-297° byd 40 NM

TACAN AZIMUTH unusable:
 055°-065° byd 30 NM blo 12,000'
 120°-170° byd 15 NM blo 12,000'
 260°-295° byd 15 NM blo 12,000'

DME unusable:
 055°-065° byd 30 NM blo 12,000'
 120°-170° byd 15 NM blo 12,000'
 251°-260° byd 34 NM blo 14,000'
 260°-295° byd 15 NM blo 12,000'