24137

RNAV (RNP) Z RWY 26R

HARTSFIELD-JACKSON ATLANTA INTL (ATL)

APP CRS	Rwy ldg	8500
275°	TDZE	990
	Apt Elev	1026

For uncompensated Baro-VNAV systems, procedure NA below -8°C (18°F) or above 54°C (130°F). GPS required. Simultaneous approach authorized. Arrival from BROOX NA during simultaneous triple approaches.

MALSR

MISSED APPROACH: Climb to 1500 then climbing right turn to 3500 direct TROYS and hold.

D-ATIS	ATLANTA APP CON	ATLANTA TOWER 8L-26R	8R-26L	9L-27R	9R-27L	10-28	ALL RWYS	GND CON (8L-26R,8R-26L)	(9L-27R,9R-27L)	10-28	ALL RWYS
ARR 119.65											
DEP 125.55	127.9 379.9	119.1	125.325	123.85	119.3	119.5	254.4	121.9	121.75	121.65	254.4

CLNC DEL	CPDLC
118.1	



ELEV 1026 | D | TDZE 990



HIRL all Rwys
TDZ/ CL Rwys 8L, 9R, 10, 26R, 27L and 28



CATEGORY	A	B	C	D
RNP 0.30 DA	1402/45 412 (400-1)			

AUTHORIZATION REQUIRED

SE-4, 05 SEP 2024 to 03 OCT 2024