

| | | | |
|----------------------------------------|------------------------|-----------------------------|---------------------------------------|
| WAAS CH 48804 W24A | APP CRS 236° | Rwy Idg TDZE Apt Elev | 5504 63 67 |
|----------------------------------------|------------------------|-----------------------------|---------------------------------------|

RNAV (GPS) RWY 24




MARTHA'S VINEYARD (MVY)

⚠ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -14°C (7°F) or above 54°C (130°F), DME/DME RNP-0.3 NA. When local altimeter setting not received, use Hyannis altimeter setting and increase all DA 54 feet and all MDA 60 feet; increase LNAV/VNAV all Cats visibility to RVR 5200; increase LNAV Cats C/D visibility to RVR 5000; increase Circling visibility to 2 miles and D to 2 ½ mile. For inop MALSR, increase LNAV/VNAV all Cats visibility to 1 ½ mile. For inop MALSR using Hyannis altimeter setting, increase LPV all Cats visibility to RVR 4000, LNAV/VNAV all Cats visibility to 1 ½ mile and increase LNAV Cats C/D visibility to 1 ½ mile. VDP and Baro-VNAV NA when using Hyannis altimeter setting. Night landing: Rwy 15 NA. ** RVR 1800 authorized with use of FD or AP or HUD to DA, NA when using Hyannis altimeter setting.

MALSR

MISSED APPROACH:
 Climb to 500 then climbing left turn to 2500 direct CLAMY and hold.

| | | | | | | |
|-----------------------|---------------------------------|--------------------------------------------------|--------------------------|---------------------------|-----------------------------------------------|-------------------------|
| ATIS 126.25 | BOSTON APP CON 133.75 | VINEYARD TOWER * 121.4 (CTAF) 0 | GND CON 124.35 | CLNC DEL 124.35 | CLNC DEL 119.7 (When twr closed) | UNICOM 122.95 |
|-----------------------|---------------------------------|--------------------------------------------------|--------------------------|---------------------------|-----------------------------------------------|-------------------------|



| CATEGORY | A | B | C | D |
|-------------------|-----------------------------|----------------------|------------------------|------------------------|
| LPV DA | **263/24 200 (200-½) | | | |
| LNAV/ VNAV DA | 480/47 417 (500-1) | | | |
| LNAV MDA | 500/24 | 437 (500-½) | 500/40 | 437 (500-¾) |
| C CIRCLING | 500-1 433 (500-1) | 540-1 473 (500-1) | 700-1¾ 633 (700-1¾) | 780-2¼ 713 (800-2¼) |

NE-1, 05 SEP 2024 to 03 OCT 2024

NE-1, 05 SEP 2024 to 03 OCT 2024