



WAAS CH 78108 W24A	APP CRS 237°	Rwy Idg TDZE Apt Elev	5200 1201 1212
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 24

LONDON/CORBIN/MAGEE (LOZ)

RNP APCH.	<p>Visibility reduction by helicopters NA. When local altimeter setting not received, use Somerset altimeter setting: increase LPV DA to 1610 feet and visibility all Cats ¼ SM; increase all MDAs 100 feet and LNAV Cats C/D and Circling Cats A/C/D visibility ½ SM.</p>	MISSED APPROACH: Climb to 3900 direct ESONE and hold.
-----------	--	--

ASOS 119.075	INDIANAPOLIS CENTER 124.625 371.925	UNICOM 123.0 (CTAF) 0
------------------------	---	--



ELEV 1212	D TDZE 1201
-----------	--------------------

This diagram shows a detailed view of the RW24 approach segment, including the glide path (GP) at 3.45° and touchdown (TCH) of 60 feet. Key altitudes include 1284± ft at ODUBE and 1273± ft at the start of the glide path. The diagram also shows the 5 NM holding pattern for RW24 and the 5 NM holding pattern for ODUBE.

CATEGORY	A	B	C	D
LPV DA	1510-1 309 (300-1)			NA
LNAV MDA	1980-1 779 (800-1)	1980-1¼ 779 (800-1¼)	1980-2¼ 779 (800-2¼)	1980-2½ 779 (800-2½)
CIRCLING	1980-1 768 (800-1)	2040-1¼ 828 (900-1¼)	2040-2½ 828 (900-2½)	2040-2¾ 828 (900-2¾)

SE-1, 05 SEP 2024 to 03 OCT 2024

SE-1, 05 SEP 2024 to 03 OCT 2024