


APP CRS <b>036°</b>	Rwy Idg TDZE Apt Elev	<b>10001</b> <b>633</b> <b>645</b>
------------------------	-----------------------------	--



# RNAV (RNP) X RWY 3R

DETROIT METRO WAYNE COUNTY (DTW)

RNP AR APCH.		ALSIF-2		MISSED APPROACH: Climb to 1100 then climbing right turn to 4000 direct GAAGE and hold.	
Simultaneous approach authorized. For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C.					
D-ATIS <b>133.675</b>	DETROIT APP CON <b>125.15 284.0</b>	METRO TOWER <b>118.4 317.725</b>	GND CON <b>121.8 (NW) 119.45 (NE)</b> <b>132.725 (SW) 119.25 (SE)</b>	CLNC DEL <b>120.65</b>	CPDLC



ELEV	<b>645</b>	TDZE	<b>633</b>
HIRL all runways			
REIL Rwy's 3L, 9L, 9R and 21R			
TDZ/CL Rwy's 3R, 4L, 4R and 22R			



CATEGORY	A	B	C	D
RNP 0.30 DA		1021/35	388 (400- $\frac{2}{3}$ )	
<b>AUTHORIZATION REQUIRED</b>				

EC-1, 31 OCT 2024 to 28 NOV 2024

EC-1, 31 OCT 2024 to 28 NOV 2024