

# O'HARE EIGHT DEPARTURE

EC-3, 31 OCT 2024 to 28 NOV 2024

**TOP ALTITUDE:**  
**5000**  
RADAR required.

CHICAGO DEP CON  
WEST  
126.625 327.075

IOWA CITY  
116.2 IOW  
Chan 109

### TAKEOFF MINIMUMS

Rwy 22R: NA - ATC.

Rwys 4L/R, 9L/C/R, 10L/C/R: Standard.

Rwy 27L/C: Standard with minimum climb of 220' per NM to 1800.

Rwy 27R: Standard with minimum climb of 220' per NM to 1700.

Rwy 28L: Standard with minimum climb of 210' per NM to 900, or alternatively, with standard

takeoff minimums and a normal 200' per

NM climb gradient, takeoff must occur

no later than 1300' prior to DER.

NOTE: Chart not to scale.

(CONTINUED ON FOLLOWING PAGE)

**SPECIAL INSTRUCTIONS:** For appropriate departure control frequency, see graphic. Use frequency depicted within the sector where first navaid/fix for your route is located (sectors indicated by dashed lines; frequencies in dashed box within).

BADGER  
116.4 BAE  
Chan 111

PETTY



PETTY

RAYNR

PMPKN

CHICAGO  
Chan 19 (Y)  
GCO  
(108.25)

Cross 4000

Cross 3000

GCO (B.3)

GCO (B.5)

MYKIE

NOONY

SIMMN

OLINN

PEKUE

DUPAGE  
108.4 DPA  
Chan 21

MOBILE

EBAKE

DUFEE

KEELER  
116.6 ELX  
Chan 113

CHICAGO DEP CON  
EAST/NORTH  
125.0 337.4

MOBILE

GIPPER  
115.4 GU  
Chan 101

NSA ORD 25 NM  
3400

DENNT

EARND

CMSKY

BACEN

ACITO

CHICAGO DEP CON  
SOUTH  
126.625 327.075

ROBERTS  
116.8 RBS  
Chan 115

PEOTONE  
113.2 EON  
Chan 79