

FOLZZ THREE DEPARTURE (RNAV) Departure Routes

SE-3, 31 OCT 2024 to 28 NOV 2024

TOP ALTITUDE:
5000


RNAV-1 DME/DME/IRU or GPS.
SNAGY and SUMRS Transitions: RNAV 1-GPS.
RADAR required.

TAKEOFF MINIMUMS

Rwy 8L: Standard with minimum climb of 500'/NM to 520, then minimum climb of 215' per NM to 1400.
 Rwy 8R: Standard with minimum climb of 500'/NM to 520, then minimum climb of 235' per NM to 1400.
 Rwy 9: Standard with minimum climb of 500'/NM to 520, then minimum climb of 240' per NM to 1400.
 Rwy 12: Standard with minimum climb of 500'/NM to 520, then minimum climb of 230' per NM to 1400.
 Rws 26L/R, 27, 30: Standard with minimum climb of 500'/NM to 520.

MIAMI DEP CON
119.45 290.325
D-ATIS
133.675
CLNC DEL
135.35
CPDIC
GND CON
(Rws 8L/R, 12, 26L/R)
121.8 348.6
(Rws 9, 27, 30)
127.5 348.6
MIAMI TOWER
118.3 256.9

See following page for transition routes.
FOLZZ



NOTE: Jet aircraft only
 NOTE: Accelerate to 250K until leaving 10000, if unable, advise ATC.
 NOTE: PADUS Transition for Freeport arrivals only.
 NOTE: SNAGY and SUMRS Transitions for European traffic only.

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

SE-3, 31 OCT 2024 to 28 NOV 2024