

| | | |
|-------------|----------|-------------|
| APP CRS | Rwy Idg | 6213 |
| 278° | TDZE | 9 |
| | Apt Elev | 9 |


RNAV (RNP) Z RWY 28L

SAN FRANCISCO BAY OAKLAND INTL (OAK)



▼ For uncompensated Baro-VNAV systems, procedure NA below 0°C (32°F) or above 54°C (130°F). GPS required.

MISSED APPROACH: Climb to 3000 on track 278° to OPLIE and on track 348° to REBAS and hold.

| | | | | | |
|----------------|----------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------|-------|
| D-ATIS | NORCAL APP CON | OAKLAND TOWER | GND CON | CLNC DEL | CPDLC |
| 133.775 | 125.35 263.15 | 118.3 291.65 (Rwys 10L/R-28L/R, 15-33) 127.2 256.9 (Rwy 12-30) | 121.9 (Rwys 10L/R-28L/R, 15-33) 121.75 (Rwy 12-30) | 121.1 | |



| | | | | |
|------|----------|----------|------|----------|
| ELEV | 9 | D | TDZE | 9 |
|------|----------|----------|------|----------|



| | | | | |
|-------------|---|--------|--------------|---|
| CATEGORY | A | B | C | D |
| RNP 0.15 DA | | 341/53 | 332 (400-1) | |
| RNP 0.30 DA | | 399-1¼ | 390 (400-1¼) | |

AUTHORIZATION REQUIRED

SW-2, 31 OCT 2024 to 28 NOV 2024

SW-2, 31 OCT 2024 to 28 NOV 2024