

WAAS CH 72700 W28A	APP CRS 278°	Rwy Idg 6213 TDZE 9 Apt Elev 9
--	------------------------	---



RNAV (GPS) Y RWY 28L

SAN FRANCISCO BAY OAKLAND INTL (OAK)

▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 0°C (32°F) or above 54°C (130°F).
▲ DME/DME RNP-0.3 NA.

MISSED APPROACH: Climb to 4000 direct SOYOK and on track 285° to SAU VOR/DME and hold, continue climb-in-hold to 4000.

D-ATIS 133.775	NORCAL APP CON 125.35 263.15	OAKLAND TOWER 118.3 291.65 (Rwys 10L/R-28L/R, 15-33) 127.2 256.9 (Rwy 12-30)	GND CON 121.9 (Rwys 10L/R-28L/R, 15-33) 121.75 (Rwy 12-30)	CLNC DEL 121.1	CPDLC
--------------------------	--	--	--	--------------------------	-------



4000 SOYOK	SAU tr 285°	VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 50).	
*LNAV only		TENIE 3.2 NM to RWY 28L	VODSY HEDER JUPAP 3700
*1.1 NM to RWY 28L		1900	2800
RWY 28L		1080*	1900
1.1 NM		2.1 NM	2.8 NM
		2.6 NM	4.4 NM
			GP 3.00° TCH 55

CATEGORY	A	B	C	D
LPV DA	209/40 200 (200-¾)			
LNAV/VNAV DA	387-1¼ 378 (400-1¼)			
LNAV MDA	420/55	411 (500-1)	420/60	411 (500-1¼)
C CIRCLING	560-1	551 (600-1)	660-1¾ 651 (700-1¾)	1400-3 1391 (1400-3)

SW-2, 31 OCT 2024 to 28 NOV 2024

SW-2, 31 OCT 2024 to 28 NOV 2024