

PANAMA CITY, FLORIDA

HI-TACAN Y RWY 14L

TACAN PAM Chan 64	APCH CRS 130°	Rwy Ldg 10,008 TDZE 14 Arpt Elev 17
--------------------------	----------------------	----------------------------------------------------------------


[USAF]

TYNDALL AFB (KPAM)

▽ * When ALS inop, increase vis to 1½ miles.

 ALSF-1 MISSED APPROACH: Track outbound PAM TACAN R-140 to 3 DME (NORWE), then turn left to join PAM R-004 to 15 DME (NENCY) and hold. Maintain 3000.

ATIS ★ 254.4	APP CON 125.2 392.1 (N abv 5000') 120.825 379.3 (N blw 5000') 124.15 338.35 (S abv 5000') 119.775 317.45 (S blw 5000')	TOWER ★ 133.95 263.15	GND CON 121.9 259.3	CLNC DEL 118.05 348.7	ASR/PAR
-------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------	---------------------------------------------	-----------------------------------------------	----------------





EMERG SAFE ALT 100 NM 3300

VGSJ and descent angles not coincident (VGSJ Angle 2.50/TCH 49).

 ELEV 17 TDZE 14 HIRL all Rwys Rwy 32L Ldg 9135'

3000 ↑ PAM R-140	NORWE PAM 3 PAM R-004	NENCY PAM 15
---------------------------	-----------------------------------	--------------------



CATEGORY	C	D	E
S-14L*	500/50	486	(500-1)
CIRCLING	540-1½ 523 (600-1½)	580-2 563 (600-2)	620-2¼ 603 (700-2¼)

Recommend Rwy 14L-32R for apch end engagement of A-Gear.

PANAMA CITY, FLORIDA

30°04'N-85°34'W

TYNDALL AFB (KPAM)

Amdt 4 20MAY21

HI-TACAN Y RWY 14L

SE-3, 31 OCT 2024 to 28 NOV 2024

SE-3, 31 OCT 2024 to 28 NOV 2024