

|  |                        |   |             |
|--|------------------------|---|-------------|
| VORTAC TRV<br><b>117.3</b><br>Chan 120 | APP CRS<br><b>298°</b> | Rwy ldg<br>TDZE <b>22</b><br>Apt Elev <b>24</b> | <b>7276</b> |
|--|------------------------|---|-------------|


# VOR RWY 30L

VERO BEACH RGNL (VRB)

**⚠** Circling to Rwy 30R NA at night. When local altimeter setting not received, use Fort Pierce altimeter setting and increase all MDAs 40 feet and Circling Cat C/D visibility ½ SM. VDP NA with Fort Pierce altimeter setting. DME required.

**MISSED APPROACH:** Climbing right turn to 2000 on heading 360° and TRV VORTAC R-057 to ECKOS INT/TRV 10 DME and hold.

|                        |  |   |                          |                            |                         |
|------------------------|--|---|--------------------------|----------------------------|-------------------------|
| ATIS<br><b>120.575</b> | PALM BEACH APP CON<br><b>123.625 225.4 (N)</b> | VERO BEACH TOWER ★<br><b>126.3 (CTAF) 0</b> | GND CON<br><b>127.45</b> | CLNC DEL<br><b>134.975</b> | UNICOM<br><b>122.95</b> |
|------------------------|--|---|--------------------------|----------------------------|-------------------------|



|         |          |         |
|---------|----------|---------|
| ELEV 24 | <b>D</b> | TDZE 22 |
|---------|----------|---------|

MIRL Rwy 4-22, 12R-30L, and 12L-30R **0**  
REIL Rwy 4, 12R, 22 and 30L **0**

|                  |           |             |                 |                            |
|------------------|-----------|-------------|-----------------|----------------------------|
| 2000<br>hdg 360° | TRV R-057 | ECKOS INT   | ZAGGA TRV 10    | One Minute Holding Pattern |
| TRV 4.7          | TRV 6     | TRV 10      | 1800            |                            |
| 1.3 NM           |           | 4 NM        |                 |                            |
| CATEGORY         | A         | B           | C               | D                          |
| S-30L            | 500-1     | 478 (500-1) | 500-1 3/8       | 478 (500-1 3/8)            |
| CIRCLING         | 560-1     | 536 (600-1) | 660-1 3/4       | 820-2 1/2                  |
|                  |           |             | 636 (700-1 3/4) | 796 (800-2 1/2)            |

SE-3, 31 OCT 2024 to 28 NOV 2024

SE-3, 31 OCT 2024 to 28 NOV 2024