


|  |                        |   |             |
|--|------------------------|---|-------------|
| WAAS<br>CH <b>78099</b><br><b>W15A</b> | APP CRS<br><b>153°</b> | Rwy ldg<br>TDZE <b>1015</b><br>Apt Elev <b>1015</b> | <b>9997</b> |
|--|------------------------|---|-------------|

# RNAV (GPS) RWY 15




ROBERT GRAY AAF (GRK)

RNP APCH - GPS.

**⚠** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. Circling NA west of Rwy 15-33.  
**⚠** For inop ALS, increase LPV Cat E visibility to RVR 4000, LNAV/VNAV all Cats visibility to 1 3/8 SM and LNAV Cats C/D/E visibility to 1 3/8 SM.  
**#** RVR 1800 authorized with the use of FD or AP or HUD to DA.

**MALSR**  
  
**MISSED APPROACH:** Climb to 2000 then climbing right turn to 3000 direct AGJ VORTAC and hold.

|                      |                                       |   |                               |                                |
|----------------------|---------------------------------------|---|-------------------------------|--------------------------------|
| ATIS<br><b>124.9</b> | GRAY APP CON<br><b>120.075 323.15</b> | GRAY TOWER<br><b>120.75(CTAF) 285.5</b> | GND CON<br><b>121.8 279.5</b> | CLNC DEL<br><b>126.2 251.1</b> |
|----------------------|---------------------------------------|---|-------------------------------|--------------------------------|



| CATEGORY     | A                     | B | C                          | D                  | E                          |
|--------------|-----------------------|---|----------------------------|--------------------|----------------------------|
| LPV DA #     | 1215/24               |   | 200 (200-1/2)              |                    |                            |
| LNAV/VNAV DA | 1531/55               |   | 516 (600-1)                |                    |                            |
| LNAV MDA     | 1520/24 505 (600-1/2) |   | 1520/55 505 (600-1)        |                    |                            |
| CIRCLING     | 1540-1 525 (600-1)    |   | 1560-1 1/2 545 (600-1 1/2) | 1620-2 605 (700-2) | 1740-2 1/2 725 (800-2 1/2) |

SC-3, 31 OCT 2024 to 28 NOV 2024

SC-3, 31 OCT 2024 to 28 NOV 2024