


WAAS CH <b>45925</b> <b>W22A</b>	APP CRS <b>215°</b>	Rwy Idg TDZE Apt Elev	<b>8806</b> <b>16</b> <b>19</b>
--	------------------------	-----------------------------	---------------------------------------


# RNAV (GPS) X RWY 22L

GENERAL EDWARD LAWRENCE LOGAN INTL (BOS)

RNP APCH - GPS.					MALSF	MISSED APPROACH: Climb to 3000 direct WINNI and hold.
▼ For inop ALS, increase LNAV/VNAV Cat D visibility to RVR 6000 and LNAV Cat D visibility to 1½ SM. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -13°C or above 43°C.						
D-ATIS <b>135.0</b>	BOSTON APP CON <b>120.6 263.1</b>	BOSTON TOWER <b>128.8 257.8 (WEST)</b> <b>132.225 257.8 (EAST)</b>		GND CON <b>121.75 121.9</b>	CINC DEL <b>121.65 257.8</b>	CPDLC



ELEV 19	<b>D</b>	TDZE 16
---------	----------	---------



	WINNI	VOCUS	WYANE	NOLEY
	3000	1700	3000	4000
	1.4 NM	0.6	3.1 NM	4.9 NM
CATEGORY	A	B	C	D
LPV DA	216/40		200 (200-¾)	
LNAV/VNAV DA	408/50		392 (400-1)	
LNAV MDA	540/40	524 (600-¾)	540-1¼	524 (600-1¼)

NE-1, 26 DEC 2024 to 23 JAN 2025

NE-1, 26 DEC 2024 to 23 JAN 2025