


# ILS Y or LOC Y RWY 28R


NIAGARA FALLS INTL (IAG)

LOC I-IAG <b>110.1</b>	APP CRS <b>280°</b>	Rwy ldg TDZE Apt Elev	<b>9129</b> <b>588</b> <b>592</b>
---------------------------	------------------------	-----------------------------	---


**⚠** ADF Required. When local altimeter setting not received, use Buffalo Niagara Intl altimeter setting and increase all DA 51 feet and all MDA 60 feet; increase Circling Cat C and D visibility ½ SM. For inop MALSRL, increase S-ILS 28R all Cats visibility to RVR 4500 and S-LOC 28R all Cats visibility to RVR 5000. For inop MALSRL when using Buffalo Niagara Intl altimeter setting, increase S-ILS 28R all Cats visibility to RVR 4500, S-LOC 28R Cats A/B visibility to RVR 5000, and S-LOC 28R Cats C/D visibility to RVR 6000. Rwy 28R helicopter visibility reduction below ¾ SM NA. Rwy 6, 10R, 24, 28L helicopter visibility reduction below 1 SM NA. Circling Rwy 6, 10R, 24, 28L NA at night.

**MALSRL**  
  
**MISSED APPROACH:**  
 Climb to 1200 then climbing right turn to 3200 on heading 050° then direct KATHI LOM and hold.


ATIS <b>120.8 269.4</b>	BUFFALO APP CON <b>126.5 317.6</b>	NIAGARA TOWER* <b>118.5 (CTAF) 0 349.0</b>	GND CON <b>125.3 275.8</b>	CLNC DEL <b>119.25 251.1</b>	UNICOM <b>122.95</b>
----------------------------	---------------------------------------	---	-------------------------------	---------------------------------	-------------------------



## ADF REQUIRED




ELEV 592	<b>D</b>	TDZE 588
----------	----------	----------



TDZ/CL Rwy 28R **Ⓛ**  
 REIL Rws 6, 10R, 24, and 28L **Ⓛ**  
 HIRL Rwy 10L-28R **Ⓛ**  
 MIRL Rws 6-24 and 10R-28L **Ⓛ**

FAF to MAP 4.1 NM

Knots	60	90	120	150	180
Min:Sec	4:06	2:44	2:03	1:38	1:22



CATEGORY	A	B	C	D
S-ILS 28R		838/40	250 (300-¾)	
S-LOC 28R		920/40	332 (400-¾)	
<b>C</b> CIRCLING	1100-1	508 (600-1)	1280-2 688 (700-2)	1280-2 ¼ 688 (700-2 ¼)

# ILS Y or LOC Y RWY 28R

NE-2, 26 DEC 2024 to 23 JAN 2025

NE-2, 26 DEC 2024 to 23 JAN 2025