

| | | |
|----------------------------------------|------------------------|-----------------------------------------------------|
| WAAS CH 48905 W29A | APP CRS 291° | Rwy Idg TDZE 1004 Apt Elev 1004 |
|----------------------------------------|------------------------|-----------------------------------------------------|

RNAV (GPS) RWY 29


LEE'S SUMMIT MUNI (LXT)

RNP APCH - GPS.



▼
▲ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. VDP and Baro-VNAV NA when using Charles B. Wheeler Downtown altimeter setting. When local altimeter setting not received, use Charles B. Wheeler Downtown altimeter setting: increase LPV DA to 1322 feet; increase LNAV/VNAV DA to 1359 feet; increase all MDA 80 feet and visibility Cats C and D ½ SM.

MISSED APPROACH: Climb to 1500 then climbing right turn to 3000 direct LYMES and hold.

| | | | |
|------------------------|--------------------------------------------|---------------------------|---------------------------------|
| ASOS 124.175 | KANSAS CITY APP CON 118.4 307.35 | CLNC DEL 118.45 | UNICOM 122.8 (CTAF) 0 |
|------------------------|--------------------------------------------|---------------------------|---------------------------------|



| | |
|-----------|-----------|
| ELEV 1004 | TDZE 1004 |
|-----------|-----------|



| CATEGORY | A | B | C | D |
|----------------------------------------------|-----------------------|-----------------------|-------------------------|-------------------------|
| LPV DA | | 1254-1 | 250 (300-1) | |
| LNAV/VNAV DA | | 1291-1 | 287 (300-1) | |
| LNAV MDA | | 1360-1 | 356 (400-1) | |
| <input checked="" type="checkbox"/> CIRCLING | 1440-1 436 (500-1) | 1540-1 536 (600-1) | 1780-2¼ 776 (800-2¼) | 1780-2½ 776 (800-2½) |

NC-3, 26 DEC 2024 to 23 JAN 2025

NC-3, 26 DEC 2024 to 23 JAN 2025