

|                                        |                        |                             |                                           |
|----------------------------------------|------------------------|-----------------------------|-------------------------------------------|
| WAAS<br>CH <b>53719</b><br><b>W02A</b> | APP CRS<br><b>022°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>4400</b><br><b>1068</b><br><b>1068</b> |
|----------------------------------------|------------------------|-----------------------------|-------------------------------------------|

# RNAV (GPS) RWY 2


GRIMES FLD (I74)

RNP APCH.



▼ Baro-VNAV and VDP NA when using Springfield altimeter setting. Rwy 2 helicopter visibility reduction below 3/4 SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. When local altimeter setting not received, use Springfield altimeter setting and increase all DAs 44 feet, all MDAs 60 feet, increase LNAV/VNAV all Cats visibility 1/4 SM, and increase Circling Cat C visibility 1/4 SM. Circling NA to Rwy 1 and 19.

▲ MISSED APPROACH: Climb to 3000 direct HIRID and hold.

|                          |                                         |                                 |
|--------------------------|-----------------------------------------|---------------------------------|
| AWOS-3<br><b>118,325</b> | COLUMBUS APP CON<br><b>134.45 294.5</b> | UNICOM<br><b>122.7 (CTAF) 0</b> |
|--------------------------|-----------------------------------------|---------------------------------|



|           |           |
|-----------|-----------|
| ELEV 1068 | TDZE 1068 |
|-----------|-----------|



| CATEGORY          | A                     | B                     | C                       | D  |
|-------------------|-----------------------|-----------------------|-------------------------|----|
| LPV DA            | 1318-1                |                       | 250 (300-1)             | NA |
| LNAV/VNAV DA      | 1501-1½               |                       | 433 (500-1½)            | NA |
| LNAV MDA          | 1500-1                | 432 (500-1)           | 1500-1¼<br>432 (500-1¼) | NA |
| <b>C</b> CIRCLING | 1580-1<br>512 (600-1) | 1780-1<br>712 (800-1) | 1800-2<br>732 (800-2)   | NA |

EC-2, 26 DEC 2024 to 23 JAN 2025

EC-2, 26 DEC 2024 to 23 JAN 2025