


LOC I-MLB	APP CRS	Rwy Idg	9482
108.3	274°	TDZE	26
		Apt Elev	33


LOC BC RWY 27L
MELBOURNE ORLANDO INTL (MLB)

DME or RADAR required.		MISSED APPROACH: Climb to 1600 on MLB VOR/DME R-272 to FIBOP/MLB VOR/DME 6.5 DME/RADAR and hold.			
ATIS	ORLANDO APP CON	MELBOURNE TOWER ★	GND CON	CLNC DEL	CLNC DEL
132.55	132.65 281.425	118.2(CTAF) 257.8	121.9	121.9	132.65 (When twr closed)
					UNICOM
					122.95



BACK COURSE

ELEV	33	D	TDZE	26
------	----	---	------	----



1600 MLB R-272		FIBOP MLB 6.5	CAPEN MLB 5.3 RADAR		One Minute Holding Pattern
OWZIJ MLB 1		MLB 1.5	274°		094° → 4500 ← 274° 1700
0.8		0.5 NM	3.8 NM		Disregard GS indications.
CATEGORY	A	B	C	D	
S-27L	500-1	474 (500-1)	500-1 3/8	474 (500-1 3/8)	
CIRCLING	500-1 467 (500-1)	560-1 527 (600-1)	680-1 3/4 647 (700-1 3/4)	880-2 3/4 847 (900-2 3/4)	

SE-3, 12 JUN 2025 to 10 JUL 2025

SE-3, 12 JUN 2025 to 10 JUL 2025