

FOLZZ THREE DEPARTURE(RNAV) Departure Routes

SE-3, 19 FEB 2026 to 19 MAR 2026


TOP ALTITUDE: 5000
RNAV-1 DME/DME/IRU or GPS. SNAGY and SUMRS Transitions: RNAV 1-GPS. RADAR required.

TAKEOFF MINIMUMS

- Rwy 8L: Standard with minimum climb of 500'/NM to 520, then minimum climb of 215' per NM to 1400.
- Rwy 8R: Standard with minimum climb of 500'/NM to 520, then minimum climb of 235' per NM to 1400.
- Rwy 9: Standard with minimum climb of 500'/NM to 520, then minimum climb of 240' per NM to 1400.
- Rwy 12: Standard with minimum climb of 500'/NM to 520, then minimum climb of 230' per NM to 1400.
- Rwys 26L/R, 27, 30: Standard with minimum climb of 500'/NM to 520.

- MIAMI DEP CON 126.85 290.325
- D-ATIS 133.675
- CINC DEL 135.35
- CPDLC 135.35
- GND CON 121.8 348.6 (8L/R, 12, 26L/R)
- 127.5 348.6 (9, 27, 30)
- MIAMI TOWER 118.3 256.9

See following page for transition routes.
FOLZZ



- NOTE: Jet aircraft only.
- NOTE: Accelerate to 250K until leaving 10000, if unable, advise ATC.
- NOTE: PADUS Transition for Freeport arrivals only.
- NOTE: SNAGY and SUMRS Transitions for European traffic only.

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

SE-3, 19 FEB 2026 to 19 MAR 2026